

# Probabilistic Approaches to Rough Sets

Y.Y. Yao

Department of Computer Science

University of Regina

Regina, Saskatchewan, Canada S4S 0A2

E-mail: yyao@cs.uregina.ca

February 23, 2005

## Abstract

This paper reviews probabilistic approaches to rough sets in granulation, approximation, and rule induction. The Shannon entropy function is used to quantitatively characterize partitions of a universe. Both algebraic and probabilistic rough set approximations are studied. The probabilistic approximations are defined in a decision-theoretic framework. The problem of rule induction, a major application of rough set theory, is studied in probabilistic and information-theoretic terms. Two types of rules are analyzed, the local, low order rules, and the global, high order rules.

## 1 Introduction

As a recently renewed research topic, granular computing is an umbrella term to cover any theories, methodologies, techniques, and tools that make use of granules (i.e., subsets of a universe) in problem solving (Lin et al., 2002; Yao, 2000; Zadeh, 1979, 1997). The basic guiding principle of granular computing is to “exploit the tolerance for imprecision, uncertainty and partial truth to achieve tractability, robustness, low solution cost and better rapport with reality” (Zadeh, 1997). This principle offers a more practical philosophy for real world problem solving. Instead of searching for the optimal solution, one may search for good approximate solutions.

The theory of rough sets provides a special and concrete model of granular computing (Pawlak, 1982, 1991). Three related issues of granulation, approximation and rule induction are central to studies of rough sets.

Granulation of a universe involves the decomposition of the universe into families of subsets, or the clustering of elements into groups. It leads to a collection of granules, with a granule being a clump of points (objects) drawn together by indistinguishability, similarity, proximity or functionality (Zadeh, 1997). Granulation may produce either a single-level, flat structure or a multi-level, hierarchical structure (Yao, 2001a). The theory of rough sets uses equivalence relations to represent relationships between elements of a universe. An equivalence relation induces a single-level granulation, namely, a partition of the universe.

A natural consequence of granulation is approximation. With respect to an equivalence relation, some subsets can not be exactly expressed in terms of the equivalence classes, and must be approximately represented by a pair of lower and upper approximations. By extending the approximations of subsets to a family of subsets, it is possible to study the approximation of a partition.

Rule induction deals with finding relationships between concepts. With each granule, or a family of granules, representing instances of a certain concept, one can study rule induction in set-theoretic terms (Yao, 2001b). Approximations of subsets and families of subsets offer insights and methods for rule induction (Pawlak, 1991).

Although main stream research in rough set theory has been dominated by algebraic and non-probabilistic studies, probabilistic approaches have been applied to the theory ever since its inception (Pawlak et al., 1988; Düntsch and Gediga, 2001; Wong and Ziarko, 1987; Yao and Wong, 1992; Yao et al., 1990). More specifically, many authors implicitly used a probabilistic approach by counting the number of elements of a set. On the other hand, there is still a lack of systematic study of probabilistic approaches in a unified and general framework.

The main objective of this paper is to provide a critical analysis and review of probabilistic and information-theoretic approaches to rough sets. With respect to three related issues of granulation, approximation, and rule induction, we focus the discussion on probability related measures. Such a comprehensive study provides a solid basis for further study of probabilistic rough set theory.

## 2 Approximation space and information granulation

The underlying notion for granulation in rough sets is equivalence relations or partitions. Let  $U$  be a finite and non-empty universe. A binary relation  $E \subseteq U \times U$  on  $U$  is called an equivalence relation if it is reflexive, symmetric, and transitive. A partition of  $U$  is a collection of non-empty and pairwise disjoint subsets of  $U$  whose union is  $U$ . Each subset in a partition is also called a block. There is a one-to-one relationship between equivalence relations and partitions. For an equivalence relation  $E$ , the equivalence class,

$$[x]_E = \{y \in U \mid yEx\}, \quad (1)$$

consists of all elements equivalent to  $x$ , and is the equivalence class containing the element  $x$ . The family of equivalence classes,

$$U/E = \{[x]_E \mid x \in U\}, \quad (2)$$

is a partition of the universe  $U$ . On the other hand, given a partition  $\pi$  of the universe, one can uniquely define an equivalence relation  $E_\pi$ :

$$xE_\pi y \iff x \text{ and } y \text{ are in the same block of the partition } \pi. \quad (3)$$

In this paper, we will use equivalence relations and partitions interchangeably. The pair  $apr = (U, E)$  is called an approximation space, indicating the intended application of the partition  $U/E$  for approximation (Pawlak, 1982).

The partition  $U/E$  is commonly known as the quotient set and provides a granulated view of the universe. A coarse-grained view of universe may arise in several ways. For instance, the equivalence relation is derived based on available knowledge. Due to a lack of information or vague information, some distinct objects can not be differentiated (Pawlak, 1982). That is, the available information only allows us to talk about an equivalence class as a whole instead of many individuals. In some situations, it may only be possible to observe or measure equivalence classes. It may also happen that a coarse-grained view is sufficient for a particular problem (Zadeh, 1997; Zhang and Zhang, 1992).

Under the granulated view, equivalence classes are the basic building blocks and are called elementary (equivalence) granules. They are the smallest non-empty subsets that can be defined, observed or measured. From

elementary granules, we can construct larger granules by taking unions of elementary granules. It is reasonable to assume that one can define, observe, and measure these granules through the information and knowledge on the equivalence granules. The set of all definable granules, denoted by  $\sigma(U/E)$ , consists of the empty set  $\emptyset$ , the entire universe  $U$ , and unions of equivalence classes. The system  $\sigma(U/E)$  is closed under set complement, intersection, and union. It is a sub-Boolean algebra of the Boolean algebra formed by the power set  $2^U$  of  $U$  and an  $\sigma$ -algebra of subsets of  $U$  generated by the family of equivalence classes  $U/E$ . In addition,  $U/E$  is the basis of the  $\sigma$ -algebra  $\sigma(U/E)$ .

Each partition represents one granulated view of the universe. Granulated views induced by all partitions form a partition lattice. The order relation of the lattice is defined as follows. A partition  $\pi_1$  is a refinement of another partition  $\pi_2$ , or equivalently,  $\pi_2$  is a coarsening of  $\pi_1$ , denoted by  $\pi_1 \preceq \pi_2$ , if every block of  $\pi_1$  is contained in some block of  $\pi_2$ , or equivalently, each block of  $\pi_2$  is a union of some blocks of  $\pi_1$ . In terms of equivalence relations, we have  $U/E_1 \preceq U/E_2$  if and only if  $E_1 \subseteq E_2$ . Given two partitions  $\pi_1$  and  $\pi_2$ , their meet  $\pi_1 \wedge \pi_2$  is the largest partition which is a refinement of both  $\pi_1$  and  $\pi_2$ , and their join  $\pi_1 \vee \pi_2$  is the smallest partition which is a coarsening of both  $\pi_1$  and  $\pi_2$ . The meet has all non-empty intersections of a block from  $\pi_1$  and a block from  $\pi_2$  as its blocks. The blocks of join are the smallest subsets which are exactly a union of blocks from both  $\pi_1$  and  $\pi_2$ . In terms of equivalence relations, given two equivalence relations  $E_1$  and  $E_2$ , the meet of  $U/E_1$  and  $U/E_2$  is defined by the equivalence relation  $E_1 \cap E_2$ , and the join is defined by the equivalence relation  $(E_1 \cup E_2)^*$ , the transitive closure of relation  $E_1 \cup E_2$ . The finest partition is given by  $\{\{x\} \mid x \in U\}$  consisting of singleton subsets from  $U$ , and the coarsest partition is  $\{U\}$ .

The partition lattice clearly shows the structure of different granulations of the universe. It can be used to search for suitable level of granulation for problem solving (Zhang and Zhang, 1992). Many machine learning algorithms using rough sets are based on the search of the partition lattice (Yao and Yao, 2002).

Information-theoretic measures can be used to quantify the degree of granularity of each partition (Düntsch and Gediga, 2001; Lee, 1987; Yao, 2003b). With respect to a partition  $\pi = \{A_1, A_2, \dots, A_m\}$ , we have a probability distribution:

$$P_\pi = \left( \frac{|A_1|}{|U|}, \frac{|A_2|}{|U|}, \dots, \frac{|A_m|}{|U|} \right), \quad (4)$$

where  $|\cdot|$  denotes the cardinality of a set. The Shannon entropy function of the probability distribution is defined by:

$$H(\pi) = H(P_\pi) = - \sum_{i=1}^m \frac{|A_i|}{|U|} \log \frac{|A_i|}{|U|}. \quad (5)$$

The entropy reaches the maximum value  $\log |U|$  for the finest partition consisting of singleton subsets of  $U$ , and it reaches the minimum value 0 for the coarsest partition  $\{U\}$ . In general, for two partitions with  $\pi_1 \preceq \pi_2$ , we have  $H(\pi_1) \geq H(\pi_2)$ . That is, the value of the entropy correctly reflects the order of partitions with respect to their granularity.

Additional support for using the entropy as a measure of generality can be seen as follows. We can re-express equation (5) as,

$$H(\pi) = \log |U| - \sum_{i=1}^m \frac{|A_i|}{|U|} \log |A_i|. \quad (6)$$

The first term is a constant independent of any partition. The quantity  $\log |A_i|$  is commonly known as the Hartley measure of information of the set  $A_i$ . It has been used to measure the amount of uncertainty associated with a finite set of possible alternatives, namely, the nonspecificity inherent in the set (Klir and Folger, 1988). The function  $\log |A_i|$  is a monotonic increasing transformation of the size of a set. It may be used to measure the granularity of the set. Large sets result in higher degrees of granularity than small sets. The second term of the equation is basically an expectation of granularity with respect to all subsets in a partition. It follows that we can use the following function as a measure of granularity for a partition:

$$G(\pi) = \sum_{i=1}^m \frac{|A_i|}{|U|} \log |A_i|. \quad (7)$$

In contrast to the entropy function, for two partitions  $\pi_1$  and  $\pi_2$  with  $\pi_1 \preceq \pi_2$ , we have  $G(\pi_1) \leq G(\pi_2)$ . The coarsest partition  $\{U\}$  has the maximum granularity value  $\log |U|$ , and the finest partition  $\{\{x\} \mid x \in U\}$  has the minimum granularity value 0.

### 3 Rough set approximations

This section discusses approximations of sets and approximations of probabilities, as well as probabilistic approximations of sets.

### 3.1 Approximations of sets

Consider an approximation space  $apr = (U, E)$ . The set of definable subsets is given by  $\sigma(U/E)$ . For a subset  $A \subseteq U$ , the greatest definable set contained in  $A$  is called the lower approximation of  $A$ , written  $\underline{apr}_{U/E}(A)$ , and the least definable set containing  $A$  is called the upper approximation of  $A$ , written  $\overline{apr}_{U/E}(A)$ . The subscription  $U/E$  indicates that the approximations are defined with respect to the partition  $U/E$ . When no confusion arises, we simply drop  $U/E$ . Lower and upper approximations can be expressed as:

$$\begin{aligned}\underline{apr}(A) &= \bigcup\{X \mid X \in \sigma(U/E), X \subseteq A\}, \\ \overline{apr}(A) &= \bigcap\{X \mid X \in \sigma(U/E), X \supseteq A\}.\end{aligned}\quad (8)$$

In terms of equivalence classes, lower and upper approximations can be expressed by:

$$\begin{aligned}\underline{apr}(A) &= \bigcup_{[x]_E \subseteq A} [x]_E, \\ \overline{apr}(A) &= \bigcup_{[x]_E \cap A \neq \emptyset} [x]_E.\end{aligned}\quad (9)$$

The lower approximation  $\underline{apr}(A)$  is the union of equivalence classes which are subsets of  $A$ . The upper approximation  $\overline{apr}(A)$  is the union of equivalence classes which have a nonempty intersection with  $A$ .

One may interpret  $\underline{apr}, \overline{apr} : 2^U \rightarrow 2^U$  as two unary set-theoretic operators, called approximation operators. The system  $(2^U, \neg, \underline{apr}, \overline{apr}, \cap, \cup)$  is called a Pawlak rough set algebra (Yao, 1996). It is an extension of the set algebra  $(2^U, \neg, \cap, \cup)$ . Properties of approximation operators, pertinent to our discussion, are summarized below:

- (i)  $\underline{apr}(A) = \neg \overline{apr}(\neg A)$ ,  
 $\overline{apr}(A) = \neg \underline{apr}(\neg A)$ ,
- (ii)  $\underline{apr}(A) = \overline{apr}(A) = A$ , for  $A \in \sigma(U/E)$ ,
- (iii)  $\underline{apr}(A) \subseteq A \subseteq \overline{apr}(A)$ ,
- (iv)  $\underline{apr}(A \cap B) = \underline{apr}(A) \cap \underline{apr}(B)$ ,  
 $\overline{apr}(A \cup B) = \overline{apr}(A) \cup \overline{apr}(B)$ ,
- (v)  $\underline{apr}(A \cup B) \supseteq \underline{apr}(A) \cup \underline{apr}(B)$ ,  
 $\overline{apr}(A \cap B) \subseteq \overline{apr}(A) \cap \overline{apr}(B)$ .

Property (i) shows that lower and upper approximations are dual to each other. Property (ii) indicates that the lower and upper approximations of a definable set are the set itself. By property (iii), a set lies within its lower and upper approximations. Property (iv) states that lower approximation distributes over intersection, and the upper approximation distributes over union. Property (v) shows the sub-distributivity of approximation operators.

Many probability related measures on approximations have been proposed and studied. Pawlak (1982, 1991) suggested an accuracy measure of rough set approximation given by:

$$\alpha(A) = \frac{|\underline{apr}(A)|}{|\overline{apr}(A)|} = P(\underline{apr}(A) | \overline{apr}(A)). \quad (10)$$

It may be interpreted as the probability that an element belongs to the lower approximation, given that the element belongs to the upper approximation. This measure can also be expressed in terms of the well-known Marczewski-Steinhaus metric or MZ metric for short (Yao, 2001a). Measures of quality of lower and upper approximations are given respectively by Pawlak (1991):

$$\begin{aligned} \underline{q}(A) &= \frac{|\underline{apr}(A)|}{|U|} = P(\underline{apr}(A)), \\ \overline{q}(A) &= \frac{|\overline{apr}(A)|}{|U|} = P(\overline{apr}(A)). \end{aligned} \quad (11)$$

They are referred to as rough probability by Pawlak (1984) and have been used by many authors (Düntsch and Gediga, 2001; Grzymala-Busse, 1987; Wong and Lingras, 1989; Yao and Lingras, 1998). The relationship between the accuracy and quality of approximations can be expressed as:

$$\alpha(A) = \frac{\underline{q}(A)}{\overline{q}(A)}. \quad (12)$$

The accuracy measure can be re-expressed as:

$$\alpha(A) = \frac{|\underline{apr}(A)|}{|\overline{apr}(A)|} = \frac{|\underline{apr}(A)|}{|U| - |\underline{apr}(\neg A)|}, \quad (13)$$

which suggests that the accuracy measure also depends on the lower approximation of  $\neg A$ . Based on this observation, Gediga and Düntsch (2001) suggested to use the following function:

$$\underline{\gamma}(A) = \frac{|\underline{apr}(A)|}{|A|} = P(\underline{apr}(A) | A), \quad (14)$$

as a measure of the precision of deterministic approximation of  $A$ . Using the same argument, we suggest that the quality of non-deterministic approximation of  $A$  can be measured by:

$$\bar{\gamma}(A) = \frac{|A|}{|\overline{apr}(A)|} = P(A | \overline{apr}(A)). \quad (15)$$

In this case, we have:

$$\alpha(A) = \underline{\gamma}(A)\bar{\gamma}(A). \quad (16)$$

The two measures  $\underline{q}$  and  $\underline{\gamma}$  monotonically increase with  $\underline{apr}(A)$  approaches  $A$ , when different partitions are used. On the other hand,  $\bar{q}$  and  $\bar{\gamma}$  show the opposite direction of changes.

For two partitions  $\pi_1$  and  $\pi_2$  with  $\pi_1 \preceq \pi_2$ , we have:

$$(vi) \quad \underline{apr}_{\pi_1}(A) \supseteq \underline{apr}_{\pi_2}(A), \quad \overline{apr}_{\pi_1}(A) \subseteq \overline{apr}_{\pi_2}(A).$$

By combining them with (iii), we obtain:

$$\underline{apr}_{\pi_2}(A) \subseteq \underline{apr}_{\pi_1}(A) \subseteq A \subseteq \overline{apr}_{\pi_1}(A) \subseteq \overline{apr}_{\pi_2}(A). \quad (17)$$

As expected, a finer partition induces a tighter approximation. All of the measures correctly reflect this observation, as shown by the following properties:

$$\begin{aligned} (1) \quad & \alpha_{\pi_1}(A) \geq \alpha_{\pi_2}(A), \\ (2) \quad & \underline{q}_{\pi_1}(A) \geq \underline{q}_{\pi_2}(A), \quad \bar{q}_{\pi_1}(A) \leq \bar{q}_{\pi_2}(A), \\ (3) \quad & \underline{\gamma}_{\pi_1}(A) \geq \underline{\gamma}_{\pi_2}(A), \quad \bar{\gamma}_{\pi_1}(A) \geq \bar{\gamma}_{\pi_2}(A). \end{aligned}$$

That is, for two partitions with  $\pi_1 \preceq \pi_2$ , we obtain the same qualitative evaluation by all those measures, namely,  $\pi_1$  is the same or better than  $\pi_2$ . For an arbitrary pair of partitions, the pair of  $\underline{q}$  and  $\underline{\gamma}$ , or the pair of  $\bar{q}$  and  $\bar{\gamma}$ , produce the same qualitative evaluation, which may be different from the one given by the  $\alpha$  accuracy measure (Gediga and Düntsch, 2001).

The approximation of a subset can be easily extended to the approximation of a family of subsets. Consider two partitions  $\pi_A = \{A_1, A_2, \dots, A_n\}$  and  $\pi_B = \{B_1, B_2, \dots, B_m\}$ . We construct an approximation space  $\underline{apr}_{\pi_A} = (U, E_{\pi_A})$  using the partition  $\pi_A$ . Each equivalence class of  $\pi_B$  is approximated

by  $\underline{apr}_{\pi_A}(B_i)$  and  $\overline{apr}_{\pi_A}(B_i)$ . By extending the accuracy and quality measure to the approximation of partition, Pawlak (1991) suggested the following quantities:

$$\begin{aligned}\alpha_{\pi_A}(\pi_B) &= \frac{\sum_{i=1}^m |\underline{apr}_{\pi_A}(B_i)|}{\sum_{i=1}^m |\overline{apr}_{\pi_A}(B_i)|}, \\ \underline{\gamma}_{\pi_A}(\pi_B) &= \frac{\sum_{i=1}^m |\underline{apr}_{\pi_A}(B_i)|}{|U|}.\end{aligned}\quad (18)$$

Furthermore,  $\underline{\gamma}_{\pi_A}$  can be expressed as, respectively, the expectation, a weighted sum, and the sum of  $\underline{\gamma}$ ,  $\alpha$ , and  $\underline{q}$  on individual equivalence classes (Gediga and Düntsch, 2001):

$$\begin{aligned}\underline{\gamma}_{\pi_A}(\pi_B) &= \sum_{i=1}^m \frac{|B_i|}{|U|} \underline{\gamma}_{\pi_A}(B_i) = \sum_{i=1}^m P(B_i) \underline{\gamma}_{\pi_A}(B_i), \\ \underline{\gamma}_{\pi_A}(\pi_B) &= \sum_{i=1}^m \frac{|\overline{apr}_{\pi_A}(B_i)|}{|U|} \alpha_{\pi_A}(B_i) = \sum_{i=1}^m P(\overline{apr}_{\pi_A}(B_i)) \alpha_{\pi_A}(B_i), \\ \underline{\gamma}_{\pi_A}(\pi_B) &= \sum_{i=1}^m \underline{q}_{\pi_A}(B_i).\end{aligned}\quad (19)$$

The overall measure  $\alpha_{\pi_A}(\pi_B)$  can not be similarly expressed. It is reasonable to use an alternative overall measure as:

$$\alpha'_{\pi_A}(\pi_B) = \sum_{i=1}^m \alpha_{\pi_A}(B_i).\quad (20)$$

In fact,  $\alpha_{\pi_A}(\pi_B)$  and  $\alpha'_{\pi_A}(\pi_B)$  represent two different averaging methods, one is the application of a measure to the pooled results, and the other is the average of the measurements on the individual results.

Given a subset  $B \subseteq U$ , we can partition the universe as  $\{B, \neg B\}$ . By applying the partition based measure  $\underline{\gamma}_{\pi_A}$ , Düntsch and Gediga (2001) suggested the following measure of the approximation quality of  $\pi_A$  with respect to  $B$ :

$$\underline{\gamma}'_{\pi_A}(B) = \underline{\gamma}_{\pi_A}(\pi_B) = \underline{q}_{\pi_A}(B) + \underline{q}_{\pi_A}(\neg B).\quad (21)$$

This measure is the ratio of correct classification of either  $B$  or  $\neg B$  based on the partition  $\pi_A$ .

### 3.2 Approximations of probabilities

In an approximation space  $apr = (U, E)$ , suppose a set function is defined on  $\sigma(U/E)$ . One can extend the function to non-definable subsets through the lower and upper approximations. Many authors have studied the approximation of probabilities in the framework of rough sets, which leads to belief functions (Grzymala-Busse, 1987; Pawlak, 1984; Skowron, 1989, 1990; Skowron and Grzymala-Busse, 1994; Wong and Lingras, 1989; Yao and Lingras, 1998).

A belief function is a mapping from  $2^U$  to the unit interval  $[0, 1]$  and satisfies the following axioms:

- (F1)  $Bel(\emptyset) = 0$ ,
- (F2)  $Bel(U) = 1$ ,
- (F3) For every positive integer  $n$  and every collection  $A_1, \dots, A_n \subseteq U$ ,  

$$Bel(A_1 \cup A_2 \dots \cup A_n) \geq \sum_i Bel(A_i) - \sum_{i < j} Bel(A_i \cap A_j) \pm \dots + (-1)^{n+1} Bel(A_1 \cap \dots \cap A_n).$$

Axioms (F1) and (F2) may be considered as normalization conditions. Axiom (F3) is a weaker version of the commonly known additivity axiom of probability functions. It is referred to as the axiom of superadditivity. The dual of a belief function, called a plausibility function  $Pl$ , is defined by:

$$Pl(A) = 1 - Bel(\neg A). \tag{22}$$

For any subset  $A \subseteq U$ ,  $Bel(A) \leq Pl(A)$ .

Consider first a simple case where a probability function  $P$  on  $2^U$  is defined based on the counting of elements in a set (Grzymala-Busse, 1987, Skowron and Grzymala-Busse, 1994), namely, for  $A \subseteq U$ ,

$$P(A) = \frac{|A|}{|U|}. \tag{23}$$

Clearly, we have:

$$\underline{q}(A) = P(\underline{apr}(A)) \leq P(A) \leq P(\overline{apr}(A)) = \overline{q}(A). \tag{24}$$

While  $\underline{apr}(A)$  and  $\overline{apr}(A)$  are approximations of the set  $A$ ,  $\underline{q}(A)$  and  $\overline{q}(A)$  are the approximations of the probability of the set  $A$ . It can be easily verified by

using properties (i)-(iv) that the qualities of lower and upper approximations are a pair of belief and plausibility functions.

Suppose  $P$  is a probability function defined on  $\sigma(U/\mathfrak{R})$ . It is not defined for subsets of  $U$  which are not members of  $\sigma(U/\mathfrak{R})$ . One can extend  $P$  to  $2^U$  in two standard ways by defining functions  $P_*$  and  $P^*$ , traditionally called the inner measure and the outer measure induced by  $P$ . For an arbitrary subset  $A \subseteq U$ , we define:

$$\begin{aligned} P_*(A) &= \sup\{P(X) \mid X \in \sigma(U/\mathfrak{R}), X \subseteq A\} = P(\underline{apr}(A)), \\ P^*(A) &= \inf\{P(X) \mid X \in \sigma(U/\mathfrak{R}), X \supseteq A\} = P(\overline{apr}(A)). \end{aligned} \quad (25)$$

Pawlak (1984) referred to the pair  $(P_*(A), P^*(A))$  as rough probability of  $A$ . The inner and outer probabilities  $P_*$  and  $P^*$  are a pair of belief and plausibility functions (Fagin and Halpern, 1991, Wong and Lingras, 1989, Yao and Lingras, 1998).

### 3.3 Probabilistic rough set approximations

Algebraic rough set approximations may be considered as qualitative approximations of a set. The extent of overlap between a set and an equivalence class is not considered. By incorporating the overlap, many authors have introduced and studied probabilistic rough set approximations (Pawlak and Skowron, 1994; Pawlak et al., 1988; Wong and Ziarko, 1987; Ziarko, 1993). Most proposals introduced certain parameters based on intuitive arguments. The decision-theoretic rough set model provides a solid basis for probabilistic approximations (Yao and Wong, 1992, Yao et al., 1990).

We first briefly review the Bayesian decision-theoretic framework (Duda and Hart, 1972). Let  $\Omega = \{\omega_1, \dots, \omega_s\}$  be a finite set of  $s$  states, and let  $\mathcal{A} = \{a_1, \dots, a_m\}$  be a finite set of  $m$  possible actions. Let  $P(\omega_j|\mathbf{x})$  be the conditional probability of an object  $x$  being in state  $\omega_j$  given that the object is described by  $\mathbf{x}$ . Let  $\lambda(a_i|\omega_j)$  denote the loss, or cost, for taking action  $a_i$  when the state is  $\omega_j$ . For an object with description  $\mathbf{x}$ , suppose an action  $a_i$  is taken. Since  $P(\omega_j|\mathbf{x})$  is the probability that the true state is  $\omega_j$  given  $\mathbf{x}$ , the expected loss associated with taking action  $a_i$  is given by:

$$R(a_i|\mathbf{x}) = \sum_{j=1}^s \lambda(a_i|\omega_j)P(\omega_j|\mathbf{x}). \quad (26)$$

The quantity  $R(a_i|\mathbf{x})$  is also called the conditional risk. Given a description  $\mathbf{x}$ , a decision procedure is a function  $\tau(\mathbf{x})$  that specifies which action to take.

For every  $\mathbf{x}$ ,  $\tau(\mathbf{x})$  chooses one action from  $a_1, \dots, a_m$ . The overall risk  $\mathbf{R}$  is the expected loss associated with a given decision procedure. Since  $R(\tau(\mathbf{x})|\mathbf{x})$  is the conditional risk associated with action  $\tau(\mathbf{x})$ , the overall risk is defined by:

$$\mathbf{R} = \sum_{\mathbf{x}} R(\tau(\mathbf{x})|\mathbf{x})P(\mathbf{x}), \quad (27)$$

where the summation is over the set of all possible descriptions of objects.

One can obtain an optimal decision procedure by minimizing the overall risk. If  $\tau(\mathbf{x})$  is chosen so that  $R(\tau(\mathbf{x})|\mathbf{x})$  is as small as possible for every  $\mathbf{x}$ , the overall risk  $\mathbf{R}$  is minimized. The Bayesian decision procedure can be therefore formally stated as follows. For every  $\mathbf{x}$ , compute the conditional risk  $R(a_i|\mathbf{x})$  for  $i = 1, \dots, m$  defined by equation (26), and then select the action for which the conditional risk is the minimum. If more than one action minimizes  $R(a_i|\mathbf{x})$ , any tie-breaking rule can be used.

The Bayesian decision procedure can be applied to define probabilistic rough set approximations. Given a subset  $A \subseteq U$ , we can form a set of two states  $\Omega = \{A, \neg A\}$  indicating that an element is in  $A$  and not in  $A$ , respectively. We use the same symbol to denote both a subset  $A$  and the corresponding state. In the non-probabilistic rough set model, with respect to  $A$ , we divide the universe  $U$  into three disjoint regions, the positive region  $\text{POS}(A)$ , the negative region  $\text{NEG}(A)$ , and the boundary region  $\text{BND}(A)$ :

$$\begin{aligned} \text{POS}(A) &= \underline{\text{apr}}(A), \\ \text{NEG}(A) &= U - \overline{\text{apr}}(A), \\ \text{BND}(A) &= \overline{\text{apr}}(A) - \underline{\text{apr}}(A). \end{aligned} \quad (28)$$

In developing a probabilistic rough set model, with respect to three regions, the set of actions is given by  $\mathcal{A} = \{a_1, a_2, a_3\}$ , where  $a_1$ ,  $a_2$ , and  $a_3$  represent the three actions in classifying an object, deciding  $\text{POS}(A)$ , deciding  $\text{NEG}(A)$ , and deciding  $\text{BND}(A)$ , respectively. The symbol  $[x]_E$ , the equivalence class containing  $x$ , is also used to represent a description of  $x$ . The required conditional probabilities are defined by the rough membership functions (Pawlak and Skowron, 1994):

$$\mu_A(x) = \frac{|[x]_E \cap A|}{|[x]_E|} = P(A | [x]_E). \quad (29)$$

Let  $\lambda(a_i|A)$  denote the loss incurred for taking action  $a_i$  when an object in fact belongs to  $A$ , and let  $\lambda(a_i|\neg A)$  denote the loss incurred for taking

the same action when the object does not belong to  $A$ . The expected loss  $R(a_i|[x]_E)$  associated with taking the individual actions can be expressed as:

$$\begin{aligned} R(a_1|[x]_E) &= \lambda_{11}P(A|[x]_E) + \lambda_{12}P(\neg A|[x]_E), \\ R(a_2|[x]_E) &= \lambda_{21}P(A|[x]_E) + \lambda_{22}P(\neg A|[x]_E), \\ R(a_3|[x]_E) &= \lambda_{31}P(A|[x]_E) + \lambda_{32}P(\neg A|[x]_E), \end{aligned} \quad (30)$$

where  $\lambda_{i1} = \lambda(a_i|A)$ ,  $\lambda_{i2} = \lambda(a_i|\neg A)$ , and  $i = 1, 2, 3$ . The Bayesian decision procedure leads to the following minimum-risk decision rules:

- (P) If  $R(a_1|[x]_E) \leq R(a_2|[x]_E)$  and  $R(a_1|[x]_E) \leq R(a_3|[x]_E)$ ,  
decide POS( $A$ );
- (N) If  $R(a_2|[x]_E) \leq R(a_1|[x]_E)$  and  $R(a_2|[x]_E) \leq R(a_3|[x]_E)$ ,  
decide NEG( $A$ );
- (B) If  $R(a_3|[x]_E) \leq R(a_1|[x]_E)$  and  $R(a_3|[x]_E) \leq R(a_2|[x]_E)$ ,  
decide BND( $A$ ).

Tie-breaking rules should be added so that each element is classified into only one region. Since  $P(A|[x]_E) + P(\neg A|[x]_E) = 1$ , the above decision rules can be simplified such that only the probabilities  $P(A|[x]_E)$  are involved. We can classify any object in the equivalence class  $[x]_E$  based only on the probabilities  $P(A|[x]_E)$ , i.e., the rough membership values, and the given loss function  $\lambda_{ij}$  ( $i = 1, 2, 3; j = 1, 2$ ).

Consider a special kind of loss functions with  $\lambda_{11} \leq \lambda_{31} < \lambda_{21}$  and  $\lambda_{22} \leq \lambda_{32} < \lambda_{12}$ . That is, the loss of classifying an object  $x$  belonging to  $A$  into the positive region POS( $A$ ) is less than or equal to the loss of classifying  $x$  into the boundary region BND( $A$ ), and both of these losses are strictly less than the loss of classifying  $x$  into the negative region NEG( $A$ ). The reverse order of losses is used for classifying an object that does not belong to  $A$ . For this type of loss functions, the minimum-risk decision rules (P)-(B) can be written as:

- (P) If  $P(A|[x]_E) \geq \gamma$  and  $P(A|[x]_E) \geq \alpha$ , decide POS( $A$ );
- (N) If  $P(A|[x]_E) \leq \beta$  and  $P(A|[x]_E) \leq \gamma$ , decide NEG( $A$ );
- (B) If  $\beta \leq P(A|[x]_E) \leq \alpha$ , decide BND( $A$ );

where

$$\alpha = \frac{\lambda_{12} - \lambda_{32}}{(\lambda_{31} - \lambda_{32}) - (\lambda_{11} - \lambda_{12})},$$

$$\begin{aligned}\gamma &= \frac{\lambda_{12} - \lambda_{22}}{(\lambda_{21} - \lambda_{22}) - (\lambda_{11} - \lambda_{12})}, \\ \beta &= \frac{\lambda_{32} - \lambda_{22}}{(\lambda_{21} - \lambda_{22}) - (\lambda_{31} - \lambda_{32})}.\end{aligned}\tag{31}$$

By the assumptions,  $\lambda_{11} \leq \lambda_{31} < \lambda_{21}$  and  $\lambda_{22} \leq \lambda_{32} < \lambda_{12}$ , it follows that  $\alpha \in (0, 1]$ ,  $\gamma \in (0, 1)$ , and  $\beta \in [0, 1)$ .

A loss function should be chosen in such a way to satisfy the condition  $\alpha \geq \beta$ . This ensures that the results are consistent with rough set approximations. Namely, the lower approximation is a subset of the upper approximation, and the boundary region may be non-empty. When  $\alpha > \beta$ , we have  $\alpha > \gamma > \beta$ . After tie-breaking, we obtain the decision rules:

- (P1) If  $P(A|[x]_E) \geq \alpha$ , decide POS( $A$ );
- (N1) If  $P(A|[x]_E) \leq \beta$ , decide NEG( $A$ );
- (B1) If  $\beta < P(A|[x]_E) < \alpha$ , decide BND( $A$ ).

When  $\alpha = \beta$ , we have  $\alpha = \gamma = \beta$ . In this case, we use the decision rules:

- (P2) If  $P(A|[x]_E) > \alpha$ , decide POS( $A$ );
- (N2) If  $P(A|[x]_E) < \alpha$ , decide NEG( $A$ );
- (B2) If  $P(A|[x]_E) = \alpha$ , decide BND( $A$ ).

For the second set of decision rules, we use a tie-breaking criterion so that the boundary region may be non-empty.

The standard and other probabilistic rough set models can be easily derived by choosing different loss functions. Consider the loss function:

$$\lambda_{12} = \lambda_{21} = 1, \quad \lambda_{11} = \lambda_{22} = \lambda_{31} = \lambda_{32} = 0.\tag{32}$$

There is a unit cost if an object belonging to  $A$  is classified into the negative region or if an object not belonging to  $A$  is classified into the positive region; otherwise there is no cost. In this case, we have  $\alpha = 1 > \beta = 0$ ,  $\alpha = 1 - \beta$ , and  $\gamma = 0.5$ . According to decision rules (P1)-(B1), we obtain the standard rough set approximations (Pawlak, 1982, 1991). Another loss function is given by:

$$\lambda_{12} = \lambda_{21} = 1, \quad \lambda_{31} = \lambda_{32} = 0.5, \quad \lambda_{11} = \lambda_{22} = 0.\tag{33}$$

A unit cost is incurred if the system classifies an object belonging to  $A$  into the negative region or an object not belonging to  $A$  is classified into the positive region; half of a unit cost is incurred if any object is classified into the boundary region. There is no cost for other cases. It follows that  $\alpha = \beta = \gamma = 0.5$ . By using decision rules (P2)-(B2), we obtain the probabilistic rough set approximation proposed by Pawlak et al. (1988).

Suppose a loss function with  $\lambda_{11} \leq \lambda_{31} < \lambda_{21}$  and  $\lambda_{22} \leq \lambda_{32} < \lambda_{12}$  satisfies the conditions,

$$\begin{aligned} \lambda_{12} - \lambda_{32} &\geq \lambda_{31} - \lambda_{11}, \\ (\lambda_{12} - \lambda_{32})(\lambda_{32} - \lambda_{22}) &= (\lambda_{31} - \lambda_{11})(\lambda_{21} - \lambda_{31}). \end{aligned} \quad (34)$$

We have  $\alpha = 1 - \beta \geq 0.5$ . This leads to the variable precision rough set model (Ziarko, 1993).

## 4 Probabilistic measures for rule induction

An important application of rough sets is data analysis and rule induction (Grzymala-Busse, 1992; Pawlak, 1991; Tsumoto, 1998; Wong and Ziarko, 1986). This section reviews probabilistic and information-theoretic measures used in rule induction algorithms (Yao, 2003b; Yao and Zhong, 1999).

### 4.1 Information tables

An information table provides a convenient way to describe a finite set of objects by a finite set of attributes (Pawlak, 1991). In this paper, we use an extended information table by adding binary relations on attribute values, and two languages (Yao, 2001b). Formally, an information table can be expressed as:

$$S = (U, At, L_v, L_r, \{V_a \mid a \in At\}, \{R_a \mid a \in At\}, \{I_a \mid a \in At\}),$$

where

- $U$  is a finite nonempty set of objects,
- $At$  is a finite nonempty set of attributes,
- $L_v$  a language dealing with values of objects,
- $L_r$  a language dealing with relations of objects,
- $V_a$  is a nonempty set of values for  $a \in At$ ,
- $R_a$  is a nonempty set of binary relations on  $V_a, a \in At$ ,
- $I_a : U \rightarrow V_a$  is an information function.

Each information function  $I_a$  is a total function that maps an object of  $U$  to exactly one value in  $V_a$ . An information table represents all available information and knowledge. That is, objects are only perceived, observed, or measured by using a finite number of properties.

In the language  $L_v$ , an atomic formula is given by  $(a, \mathcal{R}, v)$ , where  $a \in At$ ,  $\mathcal{R} \in R_a$ , and  $v \in V_a$ . If  $\phi$  and  $\psi$  are formulas, then so are  $\neg\phi$ ,  $\phi \wedge \psi$ ,  $\phi \vee \psi$ ,  $\phi \rightarrow \psi$ , and  $\phi \equiv \psi$ . The semantics of the language  $L_v$  can be defined in the Tarski's style through the notions of a model and satisfiability. The model is an information table  $S$ , which provides an interpretation for symbols and formulas of  $L_v$ . The satisfiability of a formula  $\phi$  by an object  $x$ , written  $x \models_S \phi$  or in short  $x \models \phi$  if  $S$  is understood, is given by the following conditions:

- (m1)  $x \models (a, \mathcal{R}, v)$  iff  $I_a(x) \mathcal{R} v$ ,
- (m2)  $x \models \neg\phi$  iff not  $x \models \phi$ ,
- (m3)  $x \models \phi \wedge \psi$  iff  $x \models \phi$  and  $x \models \psi$ ,
- (m4)  $x \models \phi \vee \psi$  iff  $x \models \phi$  or  $x \models \psi$ ,
- (m5)  $x \models \phi \rightarrow \psi$  iff  $x \models \neg\phi \vee \psi$ ,
- (m6)  $x \models \phi \equiv \psi$  iff  $x \models \phi \rightarrow \psi$  and  $x \models \psi \rightarrow \phi$ .

If  $\phi$  is a formula, the set  $m_S(\phi)$  defined by:

$$m_S(\phi) = \{x \in U \mid x \models \phi\}, \quad (35)$$

is called the meaning of the formula  $\phi$  in  $S$ . If  $S$  is understood, we simply write  $m(\phi)$ . The following properties hold:

- (a)  $m(a, \mathcal{R}, v) = \{x \in U \mid I_a(x) \mathcal{R} v\}$ ,

- (b)  $m(\neg\phi) = \neg m(\phi)$ ,
- (c)  $m(\phi \wedge \psi) = m(\phi) \cap m(\psi)$ ,
- (d)  $m(\phi \vee \psi) = m(\phi) \cup m(\psi)$ ,
- (e)  $m(\phi \rightarrow \psi) = \neg m(\phi) \cup m(\psi)$ ,
- (f)  $m(\phi \equiv \psi) = (m(\phi) \cap m(\psi)) \cup (\neg m(\phi) \cap \neg m(\psi))$ .

The meaning of a formula  $\phi$  is therefore the set of all objects having the property expressed by the formula  $\phi$ . In other words,  $\phi$  can be viewed as the description of the set of objects  $m(\phi)$ . Thus, a connection between formulas of  $L_v$  and subsets of  $U$  is established. When the relation  $\mathcal{R}$  is chosen to be the equality relation  $=$ , we obtain the conventional decision logic language (Pawlak, 1991).

With the introduction of language  $L_v$ , we have a formal description of concepts. A concept definable in an information table is a pair  $(\phi, m(\phi))$ , where  $\phi \in L_v$ . More specifically,  $\phi$  is a description of  $m(\phi)$  in  $S$ , the intension of concept  $(\phi, m(\phi))$ , and  $m(\phi)$  is the set of objects satisfying  $\phi$ , the extension of concept  $(\phi, m(\phi))$ . A concept  $(\phi, m(\phi))$  is said to be a sub-concept of another concept  $(\psi, m(\psi))$ , or  $(\psi, m(\psi))$  a super-concept of  $(\phi, m(\phi))$ , if  $m(\phi) \subseteq m(\psi)$ . A concept  $(\phi, m(\phi))$  is said to be a smallest non-empty concept in  $S$  if there does not exist another proper non-empty sub-concept of  $(\phi, m(\phi))$ . Two concepts  $(\phi, m(\phi))$  and  $(\psi, m(\psi))$  are disjoint if  $m(\phi) \cap m(\psi) = \emptyset$ . If  $m(\phi) \cap m(\psi) \neq \emptyset$ , we say that the two concepts have a non-empty overlap and hence are related.

The language  $L_r$  is defined in a similar manner as  $L_v$ , except that an atomic formula is given by  $(a, \mathcal{R})$ , where  $\mathcal{R} \in R_a$  and  $a \in At$ . Semantics of formulas of  $L_r$  are interpreted by pairs of objects in  $U$ . That is,

$$(m1') \quad (x, y) \models (a, \mathcal{R}) \text{ iff } I_a(x) \mathcal{R} I_a(y).$$

For formula  $\phi$ , the set  $m_S(\phi)$  defined by:

$$m_S(\phi) = \{(x, y) \in U \times U \mid (x, y) \models \phi\}, \quad (36)$$

is called the meaning set of  $\phi$  in  $S$ . If  $S$  is understood, we simply write  $m(\phi)$ . A pair  $(x, y) \in m(\phi)$  is said to satisfy the expression  $\phi$ . Similarly, the formula  $\phi$  can be viewed as the description of the set of object pairs  $m(\phi)$ , and each object pair in  $m(\phi)$  as an instance of the concept given by  $\phi$ .

## 4.2 Two types of rules

Knowledge derivable from an information table is commonly represented in the form of rules. Roughly speaking, rules show the connections between attributes, which are normally characterized by the problem of determining the values of one set of attributes based on the values of another set of attributes. Depending on the meanings and forms of rules, one may classify rules in many ways. A clear classification of rules is useful for the understanding of the basic tasks of machine learning and data mining.

Rules can be classified into two groups in terms of their directions, one-way and two-way connections, and further classified into two levels in terms of their applicability, local and global connections (Yao, 2001b, 2003b; Yao and Zhong, 1999). A one-way connection shows that the values of one set of attributes determine the values of another set of attributes, but does not say anything about the reverse. A two-way connection is a combination of two one-way connections, representing two different directions of connection. A local connection is characterized by a rule showing the relationship between one specific combination of values on one set of attributes and one specific combination of values on another set of attributes. A global connection is characterized by a rule showing the relationships between all combinations of values on one set of attributes and all combinations of values on another set of attributes.

For clarity, we only consider one-way connections and the equality relation on attribute values, as was commonly done in rough sets. In this case, a local one-way connection is expressed by a rule of the form using formulas of  $L_v$ :

$$(a, =, v_a) \Rightarrow (b, =, v_b), \quad (37)$$

where  $a, b \in At$ , and  $v_a \in V_a, v_b \in V_b$ . It can be more conveniently expressed as: for  $x \in U$ ,

$$I_a(x) = v_a \Rightarrow I_b(x) = v_b. \quad (38)$$

The rule is commonly paraphrased as “if the value of an object is  $v_a$  on an attribute  $a$ , then its value is  $v_b$  on another attribute  $b$ .” A global one-way connection is expressed by a rule of the form using formulas of  $L_r$ :

$$(a, =) \Rightarrow (b, =), \quad (39)$$

where  $a, b \in At$ , or conveniently as, for  $(x, y) \in U \times U$ ,

$$I_a(x) = I_a(y) \Rightarrow I_b(x) = I_b(y). \quad (40)$$

That is, “if two objects have the same value on an attribute  $a$ , then they have the same value on another attribute  $b$ .” Functional dependency in database is an example of such global rules.

The formulation of rules using atomic formulas can be easily extended to any formulas of languages  $L_v$  and  $L_r$ . A local rule states knowledge about one object. A local one-way rule shows that if the object has a specific value on one set of attributes, then it will have a specific value on another set of attributes. On the other hand, a global rule states knowledge about a pair of objects. A global one-way rule suggests that if a pair of objects have the same value on one set of attributes, then they will have the same value on another set of attributes. Based on this observation, a global rule is also called a high order rule, while a local rule is called a low order rule (Yao, 2003a).

### 4.3 Interpretation of rough set theory in information tables

The abstract theory of rough sets can be explained by using an information table. Such an interpretation is useful for rule induction.

Let  $W = \{W_1, \dots, W_n\} \subseteq At$  be a set of attributes in an information table. We form a family of elementary formulas  $F_W = \{\bigwedge_{i=1}^n (W_i, =, w_i) \mid w_i \in V_{W_i}\}$  of the language  $L_v$ . For simplicity, let  $V_W = V_{W_1} \times \dots \times V_{W_n}$ . We also express the family of elementary formulas by  $F_W = \{W = w \mid w \in V_W\}$ . The family of non-empty meaning sets form a partition of the universe, namely,

$$\pi_W = \{m(\bigwedge_{i=1}^n (W_i, =, w_i)) \neq \emptyset \mid w_i \in V_{W_i}\}. \quad (41)$$

It is referred to as the partition induced by the set of attributes  $W$ . For the same set of attributes, we can construct a formula  $\bigwedge_{i=1}^n (W_i, =)$  of the language  $L_r$ . The meaning of the formula,

$$E_W = m(\bigwedge_{i=1}^n (W_i, =)) = \{(x, y) \in U \times U \mid I_{W_i}(x) = I_{W_i}(y), 1 \leq i \leq n\}. \quad (42)$$

is an equivalence relation on  $U$ . Similarly, another set of attributes  $Z = \{Z_1, \dots, Z_m\}$  defines another partition  $\pi_Z$  and the corresponding equivalence relation  $E_Z$ .

Rough set approximations of a single subset is relevant to the induction of local or low order rules. Consider a formula  $\bigwedge_{j=1}^m (Z_j, =, z_j)$ . In terms of

attributes in  $W$ , one can obtain various local rules of the following format:

$$\bigwedge_{i=1}^n (W_i, =, w_i) \Rightarrow \bigwedge_{j=1}^m (Z_j, =, z_j). \quad (43)$$

Let  $\phi_W = \bigwedge_{i=1}^n (W_i, =, w_i)$  and  $\psi_Z = \bigwedge_{j=1}^m (Z_j, =, z_j)$ . With respect to the three regions of rough set approximations, we can construct three classes of rules:

- (I) Positive region : certain positive rules  
 $m(\phi_W) \subseteq m(\psi_Z)$ ,  
 $\phi_W \rightarrow \psi_Z$ ;
- (II) Boundary region : uncertain positive rules  
 $m(\phi_W) \not\subseteq m(\psi_Z)$  and  $m(\phi_W) \cap m(\psi_Z) \neq \emptyset$ ,  
 $\phi_W \Rightarrow \psi_Z$ ;
- (III) Negative region : certain negative rules  
 $m(\phi_W) \cap m(\psi_Z) = \emptyset$ ,  
 $\phi_W \rightarrow \neg\psi_Z$ .

Certain rules can be considered as the degenerated cases of uncertain rules. Since certain rules can be interpreted using the logical connective  $\rightarrow$ , we use the same symbol. All three classes of rules express the relationship between two concepts in terms of their meaning sets. Probabilistic measures introduced earlier can be used to quantify the uncertainty of rules. For example, a measure from the rough membership function,

$$\frac{|m(\phi_W) \cap m(\psi_Z)|}{|m(\phi_W)|}, \quad (44)$$

can be used to measure the accuracy of one rule. Other measures associated with approximation can be used to show the characteristic of a set of rules. For instance, the measure suggested by Gediga and Düntsch (2001):

$$\begin{aligned} \underline{\gamma}_{\pi_W}(m(\psi_Z)) &= \frac{|\underline{apr}_{\pi_W}(m(\psi_Z))|}{|m(\psi_Z)|} \\ &= \frac{\sum_{\phi_W \in F_W, m(\phi_W) \subseteq m(\psi_Z)} |m(\phi_W)|}{|m(\psi_Z)|}, \end{aligned} \quad (45)$$

is the ratio of objects correctly classified by all certain positive rules to the objects satisfying the condition  $\psi_Z$ . Similarly, the accuracy of approximation

$\alpha_{\pi_W}(m(\psi_Z))$  is the ratio of objects correctly classified by all certain positive rules to the objects classified by both certain and uncertain positive rules.

Approximation of one partition based on another partition can be summarized by the following rule:

$$\bigwedge_{i=1}^n (W_i, =) \Rightarrow \bigwedge_{j=1}^m (Z_j, =), \quad \text{or simply } W \Rightarrow Z. \quad (46)$$

The measures  $\alpha_{\pi_W}(\pi_Z)$  and  $\gamma_{\pi_W}(\pi_Z)$  can be used to measure the strength of the global, high order rule.

A more detailed probabilistic and information-theoretic analysis of low and high order rules is given in the following subsections (Yao, 2003b; Yao and Zhong, 1999).

#### 4.4 Probabilistic measures for low order rules

Suppose  $\phi$  and  $\psi$  are two formulas of the language  $L_v$ . For a rule  $\phi \Rightarrow \psi$ , its characteristics can be summarized by the following contingency table:

	$\psi$	$\neg\psi$	Totals
$\phi$	$a$	$b$	$a + b$
$\neg\phi$	$c$	$d$	$c + d$
Totals	$a + c$	$b + d$	$a + b + c + d =  U $

$$\begin{aligned} a &= |m(\phi \wedge \psi)|, & b &= |m(\phi \wedge \neg\psi)|, \\ c &= |m(\neg\phi \wedge \psi)|, & d &= |m(\neg\phi \wedge \neg\psi)|. \end{aligned}$$

Different measures can be defined to reflect various aspects of rules.

The generality of  $\phi$  is defined by:

$$G(\phi) = \frac{|m(\phi)|}{|U|} = \frac{a + b}{|U|}, \quad (47)$$

which indicates the relative size of the concept  $\phi$ . Obviously, we have  $0 \leq G(\phi) \leq 1$ . A concept is more general if it covers more instances of the universe. A sub-concept has a lower generality than its super-concept. The quantity may be viewed as the probability of a randomly selected element satisfying  $\phi$ .

The absolute support of  $\psi$  provided by  $\phi$  is the quantity:

$$\begin{aligned} AS(\phi \Rightarrow \psi) &= AS(\psi|\phi) \\ &= \frac{|m(\psi) \cap m(\phi)|}{|m(\phi)|} = \frac{a}{a + b}. \end{aligned} \quad (48)$$

The quantity,  $0 \leq AS(\psi|\phi) \leq 1$ , states the degree to which  $\phi$  supports  $\psi$ . It may be viewed as the conditional probability of a randomly selected element satisfying  $\psi$  given that the element satisfies  $\phi$ . In set-theoretic terms, it is the degree to which  $m(\phi)$  is included in  $m(\psi)$ . Clearly,  $AS(\psi|\phi) = 1$ , if and only if  $m(\phi) \neq \emptyset$  and  $m(\phi) \subseteq m(\psi)$ . That is, a rule with the maximum absolute support 1 is a certain rule.

The change of support of  $\psi$  provided by  $\phi$  is defined by:

$$\begin{aligned} CS(\phi \Rightarrow \psi) &= CS(\psi|\phi) = AS(\psi|\phi) - G(\psi) \\ &= \frac{a}{a+b} - \frac{a+c}{|U|}. \end{aligned} \quad (49)$$

Unlike the absolute support, the change of support varies from  $-1$  to  $1$ . One may consider  $G(\psi)$  to be the prior probability of  $\psi$  and  $AS(\psi|\phi)$  the posterior probability of  $\psi$  after knowing  $\phi$ . The difference of posterior and prior probabilities represents the change of our confidence regarding whether  $\phi$  is actually related to  $\psi$ . For a positive value, one may say that  $\phi$  is positively related to  $\psi$ ; for a negative value, one may say that  $\phi$  is negatively related to  $\psi$ .

The change of support relative to  $\psi$  is given by:

$$\begin{aligned} RCS(\psi \Rightarrow \psi) &= \frac{CS(\psi|\phi)}{G(\psi)} = \frac{AS(\psi|\phi)}{G(\psi)} - 1 = \frac{G(\psi \wedge \phi)}{G(\psi)G(\phi)} - 1 \\ &= \frac{|U| |m(\psi) \cap m(\phi)|}{|m(\psi)| |m(\phi)|} - 1 = \frac{a|U|}{(a+c)(a+b)} - 1. \end{aligned} \quad (50)$$

It is interesting to note that the first term in the relative change of support is related to the probabilistic independence of  $\psi$  and  $\phi$ .

The generality  $G(\psi)$  is related to the satisfiability of  $\psi$  by all objects in the database, and  $AS(\phi \Rightarrow \psi)$  is related to the satisfiability of  $\psi$  in the subset  $m(\phi)$ . A high  $AS(\phi \Rightarrow \psi)$  does not necessarily suggest a strong association between  $\phi$  and  $\psi$ , as a concept  $\psi$  with a large  $G(\psi)$  value tends to have a large  $AS(\phi \Rightarrow \psi)$  value. The change of support  $CS(\phi \Rightarrow \psi)$ , or the relative change of support  $RCS(\phi \Rightarrow \psi)$ , may be more accurate.

## 4.5 Information-theoretic measures for high order rules

Recall that a set of attributes  $W$  induces a partition  $\pi_W$  of the universe. Let

$$P(w) = P(m(W = w)) = \frac{|m(W = w)|}{|U|}. \quad (51)$$

Shannon's entropy function of  $\pi_W$ , simply written as  $H(P(W))$ , is given by:

$$\begin{aligned} H(P(W)) &= \mathbf{E}_{P(W)}[-\log P(W)] \\ &= - \sum_{w \in V_W} P(w) \log P(w), \end{aligned} \quad (52)$$

where  $\mathbf{E}_{P(W)}[\cdot]$  denotes the expected value with respect to the probability distribution of  $W$ . For two sets of attributes  $W$  and  $Z$ , their joint entropy is defined by:

$$H(Z, W) = - \sum_{z \in V_Z} \sum_{w \in V_W} p(z, w) \log p(z, w). \quad (53)$$

The conditional entropy  $H(Z|W)$  is defined as the expected value of subpopulation entropies  $H(Z|w)$  with respect to the probability distribution  $P(W)$ :

$$\begin{aligned} H(Z|W) &= \sum_{w \in V_W} P(w) H(Z|w) \\ &= - \sum_{w \in V_W} P(w) \sum_{z \in V_Z} P(z|w) \log P(z|w) \\ &= - \sum_{z \in V_Z} \sum_{w \in V_W} P(z, w) \log P(z|w) \\ &= \mathbf{E}_{P(Z,W)}[-\log P(Z|W)]. \end{aligned} \quad (54)$$

Conditional entropy is non-negative and non-symmetric, namely,  $H(Z|W) \geq 0$  and in general  $H(Z|W) \neq H(W|Z)$ . Conditional entropy can also be expressed by:

$$H(Z|W) = H(Z, W) - H(W). \quad (55)$$

It measures the additional amount of information provided by  $Z$  if  $W$  is already known.

The probability  $P(z)$  is the generality of the granule  $m(Z = z)$ . The function  $-\log P(z)$  is a monotonic decreasing transformation of  $P(z)$ . As the expected values of  $-\log P(z)$ , the entropy function is related to the granularity of the partition  $\pi_Z$ .

The probability  $P(z|w)$  is a measure for the local rule,  $W = w \Rightarrow Z = z$ . As an expected value, the conditional entropy  $H(Z|W)$  provides a measure for the global rule  $W \Rightarrow Z$ . It may be viewed as an inverse measure of global one-way association of two sets of attributes (Pawlak et al., 1988):

$$IC_1(W \Rightarrow Z) = H(Z|W). \quad (56)$$

A normalized version is given by (Pawlak et al., 1988):

$$IC_2(W \Rightarrow Z) = \frac{H(Z|W)}{\log |V_Z|}. \quad (57)$$

For an attribute  $Z$ , conditional entropy can be used to select important attributes for discovering a one-way association  $W \Rightarrow Z$ . Measures  $IC_1$  and  $IC_2$  can be used to rank attributes in an increasing order. If one prefers to rank attributes in a decreasing order, the following corresponding direct measures of one-way association can be used:

$$C_1(W \Rightarrow Z) = \log |V_Z| - H(Z|W), \quad (58)$$

$$C_2(W \Rightarrow Z) = 1 - \frac{H(Z|W)}{\log |V_Z|}. \quad (59)$$

In these measures, the attribute entropy  $H(Z)$  may be used in place of  $\log |V_Z|$ . We obtain the following measures:

$$C_3(W \Rightarrow Z) = H(Z) - H(Z|W) = I(Z; W), \quad (60)$$

$$C_4(W \Rightarrow Z) = 1 - \frac{H(Z|W)}{H(Z)} = \frac{I(Z; W)}{H(Z)}. \quad (61)$$

Measure  $C_3$  is in fact the mutual information between  $W$  and  $Z$ . It is commonly referred to as information gain and is widely used in machine learning (Quinlan, 1986). Like the change of support for local rules,  $C_3$  may be viewed as changes of entropy for global rules. Similarly,  $C_4$  may be viewed as a relative change of entropy for global rules.

## 5 Conclusion

While non-probabilistic studies of rough sets focus on algebraic and qualitative properties of the theory, probabilistic approaches are more practical and capture quantitative properties of the theory. The granularity of a partition can be quantified by information-theoretic measures. Existing measures of accuracy and quality of approximations can be quantified by probability related measures. The probabilistic and information-theoretic approaches are particular useful in rule induction, an important application of rough set theory.

Most of the measures discussed in this paper are based on simple counting of the number of elements of a set. Furthermore, we have restricted our discussion to granulations by equivalence relations or partitions. It should be pointed out that the argument can be easily extended to more general probability functions and general granulation structures.

## References

- [1] Duda, R.O. and Hart, P.E. *Pattern Classification and Scene Analysis*, Wiley, New York, 1973.
- [2] Düntsch, I. and Gediga, G. Roughian: Rough information analysis, *International Journal of Intelligent Systems*, **16**, 121-147, 2001.
- [3] Fagin, R. and Halpern, J.Y. Uncertainty, belief, and probability, *Computational Intelligence*, **7**, 160-173, 1991.
- [4] Gediga, G. and Düntsch, I. Rough approximation quality revisited, *Artificial Intelligence*, **132**, 219-234, 2001.
- [5] Grzymala-Busse, J.W. *Rough-set and Dempster-Shafer approaches to knowledge acquisition under uncertainty – a comparison*, Manuscript, Department of Computer Science, University of Kansas, 1987.
- [6] Grzymala-Busse, J.W. LERS – A system for learning from example based on rough sets, in: *Intelligent Support: Handbook of Applications and Advances of the Rough Set Theory*, Slowinski, R. (Ed.), Kluwer Academic Publishers, Dordrecht, 3-18, 1992.
- [7] Klir, G.J. and Golger, T.A. *Fuzzy sets, Uncertainty, and Information*. Prentice Hall, Englewood Cliffs, 1988.
- [8] Lee, T.T. An information-theoretic analysis of relational databases – part I: data dependencies and information metric, *IEEE Transactions on Software Engineering*, **SE-13**, 1049-1061, 1987.
- [9] Lin, T.Y., Yao, Y.Y. and Zadeh, L.A. (Eds.), *Data Mining, Rough Sets and Granular Computing*, Physica-Verlag, Heidelberg, 2002.

- [10] Pawlak, Z. Rough sets, *International Journal of Computer and Information Sciences*, **11**, 341-356, 1982.
- [11] Z. Pawlak, Rough probability, *Bulletin of Polish Academy of Sciences. Mathematics* **32**, 607-615, 1984.
- [12] Pawlak, Z. *Rough Sets, Theoretical Aspects of Reasoning about Data*, Kluwer Academic Publishers, Dordrecht, 1991.
- [13] Pawlak, Z. and Skowron, A. Rough membership functions, in: *Advances in the Dempster-Shafer Theory of Evidence*, R.R. Yager and M. Fedrizzi and J. Kacprzyk (Eds.), John Wiley and Sons, New York, 251-271, 1994.
- [14] Pawlak, Z., Wong, S.K.M. and Ziarko, W. Rough sets: probabilistic versus deterministic approach, *International Journal of Man-Machine Studies*, **29**, 81-95, 1988.
- [15] Quinlan, J.R. Induction of decision trees, *Machine Learning*, **1**, 81-106, 1986.
- [16] Skowron, A. The relationship between the rough set theory and evidence theory, *Bulletin of Polish Academy of Sciences. Mathematics*, **37**, 87-90, 1989.
- [17] Skowron, A. The rough set theory and evidence theory, *Fundamenta Informaticae* **13**, 245-262, 1990.
- [18] Skowron, A. and Grzymala-Busse, J. From rough set theory to evidence theory. In: *Advances in the Dempster-Shafer Theory of Evidence*, edited by R.R. Yager, M. Fedrizzi, and J. Kacprzyk, Wiley, New York, 193-236, 1994.
- [19] Tsumoto, S. Automated extraction of medical expert system rules from clinical databases on rough set theory, *Information Sciences*, **112**, 67-84, 1998.
- [20] Wong, S.K.M. and Lingras, P.J. The compatibility view of Shafer-Dempster theory using the concept of rough set, *Methodologies of Intelligent Systems 4*, 33-42, 1989.

- [21] Wong, S.K.M. and Ziarko, W. Algorithm for inductive learning, *Bulletin of the Polish Academy of Sciences, Technical Sciences*, **34**, 271-276, 1986.
- [22] Wong, S.K.M. and Ziarko, W. Comparison of the probabilistic approximate classification and the fuzzy set model, *Fuzzy Sets and Systems*, **21**, 357-362, 1987.
- [23] Yao, J.T. and Yao, Y.Y. Induction of classification rules by granular computing, *Proceedings of the Third International Conference on Rough Sets and Current Trends in Computing*, LNAI 2475, 331-338, 2002.
- [24] Yao, Y.Y. Two views of the theory of rough sets in finite universes, *International Journal of Approximation Reasoning*, **15**, 291-317, 1996.
- [25] Yao, Y.Y., Granular computing: basic issues and possible solutions, *Proceedings of the 5th Joint Conference on Information Sciences*, 186-189, 2000.
- [26] Yao, Y.Y., Information granulation and rough set approximation, *International Journal of Intelligent Systems*, **16**, 87-104, 2001a.
- [27] Yao, Y.Y. Modeling data mining with granular computing, *Proceedings of the 25th Annual International Computer Software and Applications Conference*, 638-643, 2001b.
- [28] Yao, Y.Y. Mining high order decision rules, in: *Rough Set Theory and Granular Computing*, Inuiguchi, M., Hirano, S. and Tsumoto, S. (Eds.), Springer, Berlin, 125-135, 2003a.
- [29] Yao, Y.Y. Information-theoretic measures for knowledge discovery and data mining, in: *Entropy Measures, Maximum Entropy and Emerging Applications*, Karmeshu (Ed.), Springer, Berlin, 115-136, 2003b.
- [30] Yao, Y.Y. and Lingras, P.J. Interpretations of belief functions in the theory of rough sets, *Information Sciences*, **104**, 81-106, 1998.
- [31] Yao, Y.Y. and Wong, S.K.M. A decision theoretic framework for approximating concepts, *International Journal of Man-machine Studies*, **37**, 793-809, 1992.

- [32] Yao, Y.Y., Wong, S.K.M. and Lingras, P. A decision-theoretic rough set model, in: *Methodologies for Intelligent Systems*, **5**, Z.W. Ras, M. Zemankova and M.L. Emrich (Eds.), New York: North-Holland, 17-24, 1990.
- [33] Yao, Y.Y. and Zhong, N. An analysis of quantitative measures associated with rules, *Proceedings of the Third Pacific-Asia Conference on Knowledge Discovery and Data Mining*, LNAI 1574, 479-488, 1999.
- [34] Zadeh, L.A. Fuzzy sets and information granularity, in: *Advances in Fuzzy Set Theory and Applications*, Gupta, N., Ragade, R. and Yager, R. (Eds.), North-Holland, Amsterdam, 3-18, 1979.
- [35] Zadeh, L.A. Towards a theory of fuzzy information granulation and its centrality in human reasoning and fuzzy logic, *Fuzzy Sets and Systems*, **19**, 111-127, 1997.
- [36] Zhang, B. and Zhang, L. *Theory and Applications of Problem Solving*, North-Holland, Amsterdam, 1992.
- [37] Ziarko, W. Variable precision rough set model, *Journal of Computer and System Sciences*, **46**, 39-59, 1993.