

# Incremental Learning with Temporary Memory

Steffen Lange<sup>a</sup>, Samuel E. Moelius III<sup>b,\*</sup>, and Sandra Zilles<sup>c,1</sup>

<sup>a</sup>*Fachbereich Informatik, Hochschule Darmstadt*

<sup>b</sup>*Department of Computer & Information Sciences, University of Delaware*

<sup>c</sup>*Department of Computing Science, University of Alberta*

---

## Abstract

In the inductive inference framework of learning in the limit, a variation of the bounded example memory (*Bem*) language learning model is considered. Intuitively, the new model constrains the learner's memory not only in *how much* data may be retained, but also in *how long* that data may be retained. More specifically, the model requires that, if a learner commits an example  $x$  to memory in some stage of the learning process, then there is some subsequent stage for which  $x$  *no longer* appears in the learner's memory. This model is called *temporary example memory* (*Tem*) learning. In some sense, it captures the idea that *memories fade*.

Many interesting results concerning the *Tem*-learning model are presented. For example, there exists a class of languages that can be identified by memorizing  $k + 1$  examples in the *Tem* sense, but that *cannot* be identified by memorizing  $k$  examples in the *Bem* sense. On the other hand, there exists a class of languages that can be identified by memorizing *just 1 example* in the *Bem* sense, but that *cannot* be identified by memorizing *any number of examples* in the *Tem* sense. (The proof of this latter result involves an infinitary self-reference argument.) Results are also presented concerning the special cases of: learning *indexable* classes of languages, and learning (arbitrary) classes of *infinite* languages.

*Key words:* Inductive inference, formal languages, incremental learning

---

---

\* corresponding author

*Email addresses:* [s.lange@fbi.h-da.de](mailto:s.lange@fbi.h-da.de) (Steffen Lange),  
[moelius@cis.udel.edu](mailto:moelius@cis.udel.edu) (Samuel E. Moelius III), [zilles@cs.ualberta.ca](mailto:zilles@cs.ualberta.ca)  
(Sandra Zilles).

<sup>1</sup> S. Zilles was supported by the Alberta Ingenuity Fund.

## 1 Introduction

The following is a common scenario in machine learning. A learner is repeatedly fed elements from an incoming stream of data. From this data, the learner must eventually generate a hypothesis that correctly identifies the contents of this stream of data. This is the case, for example, in many applications of neural networks (see [Mit97]).

In many cases, it would be impractical for a learning algorithm to *reconsider* all previously seen data when forming a new hypothesis. Thus, such learners are often designed to work in an *incremental* fashion, considering only the most recently presented datum, and possibly a few previously seen data that the learner considers to be significant.

This scenario has been studied formally by Lange and Zeugmann [LZ96] in the context of Gold-style language learning [Gol67]. Their model is called *bounded example memory (Bem)* learning. Intuitively, as the learner is fed elements from the incoming stream of data, the learner is allowed to commit up to  $k$  of these elements to memory, where  $k$  is *a priori* fixed. The learner may change which such elements are stored in its memory at any given time. However, any newly committed element *must* come from the incoming stream of data, *and*, the number of such elements can never exceed  $k$ . Among the results presented in [LZ96] is: for each  $k$ , there is a class of languages that can be identified by memorizing  $k + 1$  examples, but that *cannot* be identified by memorizing only  $k$  examples (Theorem 7 below). Further results on the *Bem*-learning model are obtained in [CJLZ99,CCJS07].

The *Bem*-learning model allows that any given example may be stored in the learner's memory *indefinitely*. However, most forms of computer memory are *volatile*, in that they require *energy* in order to retain their contents [RCN03]. Moreover, it has been observed in various areas of machine learning that the length of time for which data may be stored in a learner's memory can have an effect upon the capabilities of that learner (e.g., in reinforcement learning [LM92,McC96,Bak02] and in neural networks [HS97]).

Motivated by these observations, we consider a variation of the *Bem*-learning model in which the learner's memory is constrained not only in *how much* data may be stored, but also in *how long* that data may be stored. More specifically, we consider a model which requires that, if a learner commits an example  $x$  to memory in some stage of the learning process, then there is some subsequent stage for which  $x$  *no longer* appears in the learner's memory. We call this new model *temporary example memory (Tem)* learning. In some sense, this model captures the idea that *memories fade*.

Many interesting results concerning the *Tem*-learning model are presented.

For example, there exists a class of languages that can be identified by memorizing  $k + 1$  examples in the *Tem* sense, but that *cannot* be identified by memorizing  $k$  examples in the *Bem* sense (Theorem 15). Thus, being able to store  $k + 1$  examples temporarily, can allow one to learn more than being able to store  $k$  example indefinitely. On the other hand, there exists a class of languages that can be identified by memorizing *just 1 example* in the *Bem* sense, but that *cannot* be identified by memorizing *any number of examples* in the *Tem* sense (Theorem 17). Thus, being able to store just 1 example indefinitely, can allow one to learn more than being able to store any number of examples temporarily.

Results are also presented concerning the special cases of: learning *indexable* classes of languages, and learning (arbitrary) classes of *infinite* languages. For the case of indexable classes of languages, there exists such a class that can be identified by memorizing an arbitrary but finite number of examples in the *Bem* sense, but that *cannot* be identified by memorizing an arbitrary but finite number of examples in the *Tem* sense (Theorem 20). In the case of classes of infinite languages, however, a completely different picture emerges. In particular, any such class that can be identified by memorizing an arbitrary but finite number of examples in the *Bem* sense, can also be identified by memorizing an arbitrary but finite number of examples in the *Tem* sense (Theorem 26). Intuitively, this latter result says that, when learning classes of infinite languages, restriction to temporary memory is, in fact, *not* a proper restriction.

In the context of both learning indexable classes of languages, and learning (arbitrary) classes of infinite languages, some problems remain open. These problems are stated formally in Sections 5 and 6.

## 2 Preliminaries

Computability-theoretic concepts not covered below are treated in [Rog67].

$\mathbb{N}$  denotes the set of natural numbers,  $\{0, 1, 2, \dots\}$ . Lowercase italicized letters (e.g.,  $a, b, c$ ), with or without decorations, range over elements of  $\mathbb{N}$ , unless stated otherwise. In some cases, we treat  $\mathbb{N}$  as the set of all strings over some finite alphabet  $\Sigma$ . In such cases, lowercase typewriter-font letters (e.g.,  $\mathbf{a}, \mathbf{b}, \mathbf{c}$ ) are used to denote alphabet symbols. For a symbol  $\mathbf{a}$  and  $n \in \mathbb{N}$ ,  $\mathbf{a}^n$  denotes the string consisting of  $n$  repetitions of  $\mathbf{a}$  (e.g.,  $\mathbf{a}^3 = \mathbf{aaa}$ ). For each string  $x$ ,  $|x|$  denotes the length of  $x$ , i.e., the number of symbols in  $x$ . For each finite set of symbols  $\Sigma$ ,  $\Sigma^*$  denotes the set of all strings whose symbols are drawn from  $\Sigma$ ;  $\Sigma^+$  denotes the set of all nonempty such strings.

A *language* is a subset of  $\mathbb{N}$ . Uppercase italicized letters (e.g.,  $A, B, C$ ), with or without decorations, range over languages. For each  $A$ ,  $\text{Fin}(A)$  denotes the collection of all finite subsets of  $A$ . For each nonempty  $A \subseteq \mathbb{N}$ ,  $\min A$  denotes the minimum element of  $A$ , where  $\min \emptyset \stackrel{\text{def}}{=} \infty$ . For each nonempty, finite  $A \subseteq \mathbb{N}$ ,  $\max A$  denotes the maximum element of  $A$ , where  $\max \emptyset \stackrel{\text{def}}{=} -1$ .  $\mathcal{L}$ , with or without decorations, ranges over collections of languages.

Let  $\#$  be a reserved symbol. For each language  $L$ ,  $t$  is a *text for*  $L \stackrel{\text{def}}{=} t = (x_i)_{i \in \mathbb{N}}$ , where  $\{x_i \mid i \in \mathbb{N}\} \subseteq \mathbb{N} \cup \{\#\}$ , and  $L = \{x_i \mid i \in \mathbb{N}\} - \{\#\}$ . For each  $L$ ,  $\text{Text}(L)$  denotes the set of all texts for  $L$ . For each text  $t = (x_i)_{i \in \mathbb{N}}$ ,  $\text{content}(t) \stackrel{\text{def}}{=} \{x_i \mid i \in \mathbb{N}\} - \{\#\}$ . For each text  $t$ , and each  $n \in \mathbb{N}$ ,  $t[n]$  denotes the initial segment of  $t$  of length  $n$ .

For each one-argument partial function  $\psi$ , and each  $x \in \mathbb{N}$ ,  $\psi(x) \downarrow$  denotes that  $\psi(x)$  converges;  $\psi(x) \uparrow$  denotes that  $\psi(x)$  diverges. We use  $\uparrow$  to denote the value of a divergent computation.

$\sigma$ , with or without decorations, ranges over finite initial segments of texts for arbitrary languages. For each  $\sigma$ ,  $|\sigma|$  denotes the length of  $\sigma$  (equivalently, the size of the domain of  $\sigma$ ). For each  $\sigma = (x_i)_{i < n}$ ,  $\text{content}(\sigma) \stackrel{\text{def}}{=} \{x_i \mid i < n\} - \{\#\}$ .  $\lambda$  denotes the empty initial segment (equivalently, the everywhere divergent function). For each  $\sigma_0$  and  $\sigma_1$ ,  $\sigma_0 \cdot \sigma_1$  denotes the concatenation of  $\sigma_0$  and  $\sigma_1$ .

$\varphi_0, \varphi_1, \dots$  denotes any fixed, acceptable numbering of all one-argument partial computable functions from  $\mathbb{N}$  to  $\mathbb{N}$ .  $\Phi$  denotes a fixed Blum complexity measure for  $\varphi$ . For each  $i, s, x \in \mathbb{N}$ ,

$$\varphi_i^s(x) \stackrel{\text{def}}{=} \begin{cases} \varphi_i(x), & \text{if } [x < s \wedge \Phi_i(x) \leq s]; \\ \uparrow, & \text{otherwise.} \end{cases} \quad (1)$$

For each  $i, s \in \mathbb{N}$ ,  $W_i^s \stackrel{\text{def}}{=} \{x \mid \varphi_i^s(x) \downarrow\}$ . For each  $i \in \mathbb{N}$ ,  $W_i \stackrel{\text{def}}{=} \bigcup_{s \in \mathbb{N}} W_i^s$ . For each  $s \in \mathbb{N}$ ,  $W_\uparrow \stackrel{\text{def}}{=} W_\uparrow^s \stackrel{\text{def}}{=} \emptyset$ .

An *inductive inference machine (IIM)* is a partial computable function whose inputs are initial segments of texts, and whose outputs are elements of  $\mathbb{N}$  [OSW86].  $\mathbf{M}$ , with or without decorations, ranges over IIMs.

Definitions 1, 2, and 4 below introduce formally three of the Gold-style learning criteria of relevance to this paper. Therein, *Lim*, *Sdr*, and *It* are mnemonic for *limiting*, *set-driven*, and *iterative*, respectively. The first of these, *Lim*-learning (Definition 1 below), is the most fundamental. Intuitively, an IIM  $\mathbf{M}$  is fed successively longer finite initial segments of a text for a target language  $L$ .  $\mathbf{M}$  successfully identifies the language (from the given text) iff  $\mathbf{M}$  converges to a hypothesis that correctly identifies the language (i.e., to a  $j$  such that

$W_j = L$ ).

- Definition 1 (Gold [Gol67])** (a) Let  $\mathbf{M}$  be an IIM, and let  $L$  be a language.  $\mathbf{M}$  *LimTxt-identifies*  $L$  iff, for each text  $t \in \text{Text}(L)$ , there exists  $n \in \mathbb{N}$  such that  $W_{\mathbf{M}(t[n])} = L$  and  $\mathbf{M}(t[i]) = \mathbf{M}(t[n])$  for each  $i \geq n$ .
- (b) Let  $\mathbf{M}$  be an IIM, and let  $\mathcal{L}$  be a class of languages.  $\mathbf{M}$  *LimTxt-identifies*  $\mathcal{L}$  iff, for each  $L \in \mathcal{L}$ ,  $\mathbf{M}$  *LimTxt-identifies*  $L$ .
- (c)  $\text{LimTxt} = \{\mathcal{L} \mid (\exists \mathbf{M})[\mathbf{M} \text{ LimTxt-identifies } \mathcal{L}]\}$ .

The *Lim*-learning model allows that an IIM consider the entire initial segment of text presented to it when forming a new hypothesis. Thus, the IIM may consider: the *order* in which elements appear within that initial segment, and the *multiplicity* with which they appear. The set-driven (*Sdr*) learning model (Definition 2 below) restricts this. In particular, the *Sdr*-learning model requires that an IIM consider only the *contents* of any initial segment, and *not* the order or multiplicity of the elements therein.

- Definition 2 (Wexler and Culicover [WC80])** (a) Let  $\mathbf{M}$  be an IIM, let  $L$  be a language, and let  $M : \text{Fin}(\mathbb{N}) \rightarrow \mathbb{N}$  be a partial computable function.  $\mathbf{M}$  *SdrTxt-identifies*  $L$  via  $M$  iff (i) and (ii) below.
- (i)  $\mathbf{M}$  *LimTxt-identifies*  $L$ .
- (ii) For each text  $t \in \text{Text}(L)$ , and each  $i \in \mathbb{N}$ ,  $\mathbf{M}(t[i]) = M(\text{content}(t[i]))$ .
- (b) Let  $\mathbf{M}$  be an IIM, and let  $\mathcal{L}$  be a class of languages.  $\mathbf{M}$  *SdrTxt-identifies*  $\mathcal{L}$  iff there exists  $M$  such that, for each  $L \in \mathcal{L}$ ,  $\mathbf{M}$  *SdrTxt-identifies*  $L$  via  $M$ .
- (c)  $\text{SdrTxt} = \{\mathcal{L} \mid (\exists \mathbf{M})[\mathbf{M} \text{ SdrTxt-identifies } \mathcal{L}]\}$ .

Fulk [Ful90] proved that set-driven learning is a proper restriction of Gold's original model of learning in the limit.

**Theorem 3 (Fulk [Ful90])**  $\text{SdrTxt} \subset \text{LimTxt}$ .

Both of the preceding learning models allow that an IIM consider an *unbounded* number of elements when forming a new hypothesis. This does not seem practicable, in general, and motivates a desire for *memory limited* models of learning. Iterative (*It*) learning (Definition 4 below) is such a memory limited model. The *It*-model requires that an IIM consider *only* its most recently conjectured hypothesis, and the most recently occurring element of an initial segment of text. Thus, the IIM *cannot*, in general, consider previously conjectured hypotheses, *nor* previously occurring elements of an initial segment of text.

- Definition 4 (Wiehagen [Wie76])** (a) Let  $\mathbf{M}$  be an IIM, let  $L$  be a language, let  $M : \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}$  be a partial computable function, and let  $j_0 \in \mathbb{N}$ .  $\mathbf{M}$  *ItTxt-identifies*  $L$  via  $(M, j_0)$  iff (i) and (ii) below.

- (i)  $\mathbf{M}$  *LimTxt*-identifies  $L$ .
- (ii) For each text  $t \in \text{Text}(L)$ ,  $(\alpha)$  through  $(\gamma)$  below.
  - $(\alpha)$  For each  $i \in \mathbb{N}$ ,  $\mathbf{M}(t[i]) \downarrow$ .
  - $(\beta)$   $\mathbf{M}(t[0]) = j_0$ .
  - $(\gamma)$  For each  $i \in \mathbb{N}$ ,  $\mathbf{M}(t[i+1]) = M(\mathbf{M}(t[i]), t(i))$ .
- (b) Let  $\mathbf{M}$  be an IIM, and let  $\mathcal{L}$  be a class of languages.  $\mathbf{M}$  *ItTxt*-identifies  $\mathcal{L}$  iff there exists  $(M, j_0)$  such that, for each  $L \in \mathcal{L}$ ,  $\mathbf{M}$  *ItTxt*-identifies  $L$  via  $(M, j_0)$ .
- (c)  $\text{ItTxt} = \{\mathcal{L} \mid (\exists \mathbf{M})[\mathbf{M} \text{ ItTxt-identifies } \mathcal{L}]\}$ .

Kinber and Stephan [KS95] showed that every class in *ItTxt* can be identified in the limit by a set-driven IIM.

**Theorem 5 (Kinber and Stephan [KS95])**  $\text{ItTxt} \subseteq \text{SdrTxt}$ .

It is straightforward to verify that the converse does not hold, and, thus, that the inclusion is proper (see the remark in [KS95] on page 238 following the proof of Theorem 7.7).

Note that, in Definition 4(b), the behavior of  $\mathbf{M}$  on any text  $t$  for a language in  $\mathcal{L}$  is completely determined by  $j_0$  and the behavior of  $M$  on  $j_0$  and  $t$ . Thus, when referring to an iterative (or iterative-like) learner, we will, in some cases, refer only to  $(M, j_0)$  and avoid mention of  $\mathbf{M}$  altogether. We do so similarly for set-driven learners (Definition 2). For iterative-like learning criteria that we define below (Definitions 6 and 10), we do so in terms of such  $(M, j_0)$  directly. In all such cases, it will be evident how to construct an appropriate IIM  $\mathbf{M}$  from  $(M, j_0)$ .

### 3 Bounded example memory (*Bem*) learning

The following is a natural relaxation of *It*-learning called *k*-bounded example-memory ( $Bem_k$ ) learning (Lange and Zeugmann [LZ96]). Recall that the *It*-learning model allows that an IIM consider the most recently occurring element of an initial segment of text, but *not* previously occurring elements. By contrast, the  $Bem_k$ -learning model allows that the IIM consider up to  $k$  such previously occurring elements, where  $k \in \mathbb{N}^+$  is *a priori* fixed.

**Definition 6 (Lange and Zeugmann [LZ96])** Let  $k \in \mathbb{N}^+$  be fixed.

- (a) Let  $M : (\mathbb{N} \times \text{Fin}(\mathbb{N})) \times \mathbb{N} \rightarrow \mathbb{N} \times \text{Fin}(\mathbb{N})$  be a partial computable function, let  $j_0 \in \mathbb{N}$ , and let  $L$  be a language.  $(M, j_0)$  *Bem<sub>k</sub>Txt*-identifies  $L$  iff, for each text  $t = (x_i)_{i \in \mathbb{N}} \in \text{Text}(L)$ , (i) through (iii) below.
  - (i) For each  $i \in \mathbb{N}$ ,  $M_i(t) \downarrow$ , where  $M_0(t) = \langle j_0, \emptyset \rangle$  and  $M_{i+1}(t) = M(M_i(t), x_i) =$

- $\langle j_{i+1}, X_{i+1} \rangle$ .
- (ii) There exists  $n \in \mathbb{N}$  such that  $W_{j_n} = L$  and  $j_i = j_n$  for each  $i \geq n$ .
  - (iii) For each  $i \in \mathbb{N}$ ,  $X_{i+1} \subseteq X_i \cup \{x_i\}$  and  $|X_{i+1}| \leq k$ , where  $X_0 = \emptyset$ .
- (b) Let  $(M, j_0)$  be as in (a), and let  $\mathcal{L}$  be a class of languages.  $(M, j_0)$  *Bem<sub>k</sub>Txt-identifies*  $\mathcal{L}$  iff, for each  $L \in \mathcal{L}$ ,  $(M, j_0)$  *Bem<sub>k</sub>Txt-identifies*  $L$ .
- (c)  $Bem_kTxt = \{\mathcal{L} \mid (\exists M, j_0)[(M, j_0) \text{ Bem}_k\text{Txt-identifies } \mathcal{L}]\}$ .

For the remainder, let  $\pi_1^2(\langle j, X \rangle) = j$  and  $\pi_2^2(\langle j, X \rangle) = X$ , for each  $j \in \mathbb{N}$  and  $X \in \text{Fin}(\mathbb{N})$ .

Note that Definition 6 allows an IIM to change the contents of its example memory infinitely often, even *after* it has converged to its final hypothesis. Thus, changing the contents of the example memory does *not* constitute a mind-change.

The classes  $(Bem_kTxt)_{k \in \mathbb{N}^+}$  defined in Definition 6(d) above form a proper hierarchy, as stated in the following theorem.

**Theorem 7 (Lange and Zeugmann [LZ96])** For each  $k \in \mathbb{N}^+$ ,  $Bem_kTxt \subset Bem_{k+1}Txt$ .

A natural variation of Lange and Zeugmann's model is to eliminate the restriction on the number of examples that can be memorized, i.e., to allow that the IIM store an arbitrary number of examples in its memory. We call the resulting learning model *Bem<sub>\*</sub>-learning*.

The formal definition of *Bem<sub>\*</sub>-learning* is obtained from Definition 6 by replacing  $Bem_k$  by  $Bem_*$  and by dropping the condition  $|X_{i+1}| \leq k$  in (a)(iii).<sup>2</sup> This definition immediately implies the following.

**Proposition 8** For each  $k \in \mathbb{N}^+$ ,  $Bem_kTxt \subseteq Bem_*Txt$ .

Kinber and Stephan [KS95] studied a flexible notion of memory limited learning that subsumes our definition of *Bem<sub>\*</sub>-learning*. As an immediate consequence of their results, one obtains a characterization of *Bem<sub>\*</sub>-learning* in terms of set-driven learning (Definition 2 above). Recall that, with set-driven learning, the IIM can consider *neither* the order of the elements in the text, *nor* the multiplicity with which they appeared. However, the full set of previously seen examples is always accessible. The similarity to the definition of *Bem<sub>\*</sub>-learning* is obvious; nonetheless, the proof of the characterization is not completely straightforward. The reader is referred to [KS95] for details.

<sup>2</sup> N.B. The *Bem<sub>\*</sub>-learning* model does *not* afford the same capabilities to a learner as those provided by the *Lim*-learning model. Since the examples are stored in the learner's memory as a *set*, the learner cannot consider the *order* in which those elements appeared, *nor* the *multiplicity* with which they appeared.





- (ii) There exists  $n \in \mathbb{N}$  such that  $W_{j_n} = L$  and  $j_i = j_n$  for each  $i \geq n$ .
  - (iii) For each  $i \in \mathbb{N}$ ,  $X_{i+1} \subseteq X_i \cup \{x_i\}$  and  $|X_{i+1}| \leq k$ , where  $X_0 = \emptyset$ .
  - (iv) For each  $i \in \mathbb{N}$ , there exists  $i' \geq i$  such that  $x_i \notin X_{i'+1}$ .
- (b) Let  $(M, j_0)$  be as in (a), and let  $\mathcal{L}$  be a class of languages.  $(M, j_0)$  *Tem<sub>k</sub>Txt-identifies*  $\mathcal{L}$  iff, for each  $L \in \mathcal{L}$ ,  $(M, j_0)$  *Tem<sub>k</sub>Txt-identifies*  $L$ .
- (c)  $Tem_kTxt = \{\mathcal{L} \mid (\exists M, j_0)[(M, j_0) \text{ Tem}_k\text{Txt-identifies } \mathcal{L}]\}$ .

The preceding definition immediately implies the following.

**Proposition 11** For each  $k \in \mathbb{N}^+$ ,  $Tem_kTxt \subseteq Bem_kTxt$ .

The formal definition of *Tem<sub>\*</sub>*-learning is obtained from Definition 10 by replacing *Tem<sub>k</sub>* by *Tem<sub>\*</sub>* and by dropping the condition  $|X_{i+1}| \leq k$  in (a)(iii). Again, a few observations follow immediately.

**Proposition 12** (a) For each  $k \in \mathbb{N}^+$ ,  $Tem_kTxt \subseteq Tem_*Txt$ .  
 (b)  $Tem_*Txt \subseteq Bem_*Txt$ .

As noted by one anonymous referee, one might reasonably allow elements occurring *infinitely often* in the text to remain in the learner's memory indefinitely. Definition 13 below captures this idea. (Note the change in part (a)(iv) of Definition 13, as compared to Definition 10.) However, as Proposition 14 below shows, such a model is, in fact, *equivalent* to that of Definition 10.

**Definition 13** Let  $k \in \mathbb{N}^+$  be fixed.

- (a) Let  $M : (\mathbb{N} \times \text{Fin}(\mathbb{N})) \times \mathbb{N} \rightarrow \mathbb{N} \times \text{Fin}(\mathbb{N})$  be a partial computable function, let  $j_0 \in \mathbb{N}$ , and let  $L$  be a language.  $(M, j_0)$  *FinTem<sub>k</sub>Txt-identifies*  $L$  iff, for each text  $t = (x_i)_{i \in \mathbb{N}} \in \text{Text}(L)$ , (i) through (iv) below.
  - (i) For each  $i \in \mathbb{N}$ ,  $M_i(t) \downarrow$ , where  $M_0(t) = \langle j_0, \emptyset \rangle$  and  $M_{i+1}(t) = M(M_i(t), x_i) = \langle j_{i+1}, X_{i+1} \rangle$ .
  - (ii) There exists  $n \in \mathbb{N}$  such that  $W_{j_n} = L$  and  $j_i = j_n$  for each  $i \geq n$ .
  - (iii) For each  $i \in \mathbb{N}$ ,  $X_{i+1} \subseteq X_i \cup \{x_i\}$  and  $|X_{i+1}| \leq k$ , where  $X_0 = \emptyset$ .
  - (iv) For each  $i \in \mathbb{N}$ , if  $x_i$  occurs *only finitely often* in  $t$ , then there exists  $i' \geq i$  such that  $x_i \notin X_{i'+1}$ .
- (b) Let  $(M, j_0)$  be as in (a), and let  $\mathcal{L}$  be a class of languages.  $(M, j_0)$  *FinTem<sub>k</sub>Txt-identifies*  $\mathcal{L}$  iff, for each  $L \in \mathcal{L}$ ,  $(M, j_0)$  *FinTem<sub>k</sub>Txt-identifies*  $L$ .
- (c)  $FinTem_kTxt = \{\mathcal{L} \mid (\exists M, j_0)[(M, j_0) \text{ FinTem}_k\text{Txt-identifies } \mathcal{L}]\}$ .

The formal definition of *FinTem<sub>\*</sub>*-learning is obtained from Definition 13 by replacing *FinTem<sub>k</sub>* by *FinTem<sub>\*</sub>* and by dropping the condition  $|X_{i+1}| \leq k$  in (a)(iii).

**Proposition 14** (a) For each  $k \in \mathbb{N}^+$ ,  $FinTem_kTxt = Tem_kTxt$ .  
 (b)  $FinTem_*Txt = Tem_*Txt$ .

*Proof of Proposition.* We give only the proof of part (a). Let  $k \in \mathbb{N}^+$  be fixed. Clearly,  $Tem_kTxt \subseteq FinTem_kTxt$ . Thus, it suffices to show  $FinTem_kTxt \subseteq Tem_kTxt$ . Let  $\mathcal{L} \in FinTem_kTxt$  be fixed, and let  $(M, j_0)$  be such that  $(M, j_0)$   $FinTem_kTxt$ -identifies  $\mathcal{L}$ . Let  $M'$  be such that  $M'_0(t) = j_0$  and, for each  $j \in \mathbb{N}$ ,  $X \in Fin(\mathbb{N})$ , and  $x \in \mathbb{N} \cup \{\#\}$ ,

$$M'(\langle j, X \rangle, x) = \begin{cases} M(\langle j, X \rangle, x), & \text{if } x \notin X; \\ M(\langle j, X \rangle, \#), & \text{otherwise.} \end{cases} \quad (2)$$

It remains to show that  $(M', j_0)$   $Tem_kTxt$ -identifies  $\mathcal{L}$ . This follows from Claims 1 through 3 below.

Let  $L \in \mathcal{L}$  and  $t = (x_i)_{i \in \mathbb{N}} \in Text(L)$  be fixed. Let  $\hat{t} = (\hat{x}_i)_{i \in \mathbb{N}}$  be such that, for each  $i \in \mathbb{N}$ ,

$$\hat{x}_i = \begin{cases} x_i, & \text{if } x_i \notin \hat{X}_i, \text{ where } \hat{X}_i \text{ is obtained} \\ & \text{by running } M \text{ on } \hat{x}_0, \dots, \hat{x}_{i-1}; \\ \#, & \text{otherwise.} \end{cases} \quad (3)$$

*Claim 1.*  $\hat{t} \in Text(L)$ .

*Proof of Claim.* Clearly,  $content(\hat{t}) \subseteq content(t) = L$ . Thus, it suffices to show that  $L \subseteq content(\hat{t})$ . By way of contradiction, let  $i \in \mathbb{N}$  be *least* such that  $x_i \in L - content(\hat{t})$ . Clearly, by (3),  $x_i \in \hat{X}_i$ . Since  $\hat{X}_i \subseteq \{\hat{x}_0, \dots, \hat{x}_{i-1}\}$ , there must be an  $i' < i$  such that  $\hat{x}_{i'} = x_i$ . Since  $\hat{x}_{i'} = x_i \in L$  (and, thus,  $\hat{x}_{i'} \neq \#$ ), by (3),  $\hat{x}_{i'} = x_{i'}$ . But then  $i' < i$  and  $x_{i'} = \hat{x}_{i'} = x_i \in L - content(\hat{t})$ , contradicting the choice of  $i$ .  $\square$  (*Claim 1*)

*Claim 2.* For each  $i \in \mathbb{N}$ ,  $M'_i(t) = M_i(\hat{t})$ .

*Proof of Claim.* Clearly,  $M'_0(t) = \langle j_0, \emptyset \rangle = M_0(\hat{t})$ . So, suppose, inductively, that  $M'_i(t) = M_i(\hat{t})$ . Consider the following two cases.

CASE  $x_i \notin \hat{X}_i$ . Then,

$$\begin{aligned}
M'_{i+1}(t) &= M'(M'_i(t), x_i) \text{ \{immediate\}} \\
&= M'(M_i(\hat{t}), x_i) \text{ \{by the induction hypothesis\}} \\
&= M(M_i(\hat{t}), x_i) \text{ \{by (2) and } x_i \notin \hat{X}_i, \text{ where } M_i(\hat{t}) = \langle \hat{j}_i, \hat{X}_i \rangle \}} \\
&= M(M_i(\hat{t}), \hat{x}_i) \text{ \{by (3) and } x_i \notin \hat{X}_i, \text{ where } M_i(\hat{t}) = \langle \hat{j}_i, \hat{X}_i \rangle \}} \\
&= M_{i+1}(\hat{t}) \quad \text{\{immediate\}}.
\end{aligned}$$

CASE  $x_i \in \hat{X}_i$ . Then,

$$\begin{aligned}
M'_{i+1}(t) &= M'(M'_i(t), x_i) \text{ \{immediate\}} \\
&= M'(M_i(\hat{t}), x_i) \text{ \{by the induction hypothesis\}} \\
&= M(M_i(\hat{t}), \#) \text{ \{by (2) and } x_i \in \hat{X}_i, \text{ where } M_i(\hat{t}) = \langle \hat{j}_i, \hat{X}_i \rangle \}} \\
&= M(M_i(\hat{t}), \hat{x}_i) \text{ \{by (3) and } x_i \in \hat{X}_i, \text{ where } M_i(\hat{t}) = \langle \hat{j}_i, \hat{X}_i \rangle \}} \\
&= M_{i+1}(\hat{t}) \quad \text{\{immediate\}}.
\end{aligned}$$

□ (*Claim 2*)

Let  $(X'_i)_{i \in \mathbb{N}}$  be as in the definition of  $Tem_k Txt$  for  $(M', j_0)$  and  $t$ .

*Claim 3.* For each  $i \in \mathbb{N}$ , there exists  $i' \geq i$  such that  $x_i \notin X'_{i'+1}$ .

*Proof of Claim.* By way of contradiction, let  $i \in \mathbb{N}$  be such that, for each  $i' \geq i$ ,  $x_i \in X'_{i'+1}$ . Then, by Claim 2, for each  $i' \geq i$ ,  $x_i \in \hat{X}_{i'+1}$ . Clearly, by (3), for each  $i' \geq i$ ,  $\hat{x}_{i'+1} \neq x_i$ . Thus,  $x_i$  occurs only finitely often in  $\hat{t}$ . But then, there must exist  $i' \geq i$  such that  $x_i \notin \hat{X}_{i'+1}$  (a contradiction). □ (*Claim 3*)

□ (*Proposition 14*)

The following is the first main result of this section. Intuitively, it says that being able to store  $k + 1$  examples temporarily, can, in some cases, allow one to learn more than being able to store  $k$  examples indefinitely.

**Theorem 15** For each  $k \in \mathbb{N}^+$ ,  $Tem_{k+1} Txt - Bem_k Txt \neq \emptyset$ .

*Proof.* Let  $k \in \mathbb{N}^+$ . For separating  $Tem_{k+1}$  and  $Bem_k$  we use a class that was already used in [LZ96] for the separation of  $Bem_{k+1}$  and  $Bem_k$ . We set

$\Sigma = \{\mathbf{a}, \mathbf{b}\}$ . For every  $j, \ell_0, \dots, \ell_k \in \mathbb{N}$ , let

$$L_{(j, \ell_0, \dots, \ell_k)} = \{\mathbf{a}^{j+1}\} \cup \{\mathbf{b}^z \mid z \leq j\} \cup \{\mathbf{b}^{\ell_0}, \dots, \mathbf{b}^{\ell_k}\}. \quad (4)$$

By  $\mathcal{L}_k$  we denote the class containing  $L = \{\mathbf{b}\}^*$  and all the languages  $L_{(j, \ell_0, \dots, \ell_k)}$  for  $j, \ell_0, \dots, \ell_k \in \mathbb{N}$ .

The following  $M$  witnesses  $\mathcal{L}_k \in \text{Tem}_{k+1}\text{Txt}$ . As long as no string in  $\{\mathbf{a}\}^+$  occurs,  $M$  stores the  $(k+1)$  longest strings in  $\{\mathbf{b}\}^*$  seen so far and outputs an index for  $L$  along with this set. If a string  $x \in \{\mathbf{a}\}^+$  appears,  $M$  outputs an index for the minimal language  $L' \in \mathcal{L}_k$  that contains  $x$  and the strings memorized in its example memory. Past that point, there is no need to store further examples, because the target language must be a superset of  $L'$ . Moreover, in case  $L'$  does not equal the target language, the missing strings in  $\{\mathbf{b}\}^*$  will appear in some subsequent stage. If such a missing string appears,  $M$  updates its current guess accordingly. We omit further details.

Next we prove that  $\mathcal{L}_k \notin \text{Bem}_k\text{Txt}$ .<sup>4</sup> Suppose the converse, i.e., there is an IIM  $\mathbf{M}'$  that  $\text{Bem}_k\text{Txt}$ -identifies  $\mathcal{L}_k$ . Since  $\mathbf{M}'$  learns  $L = \{\mathbf{b}\}^*$ , there exists a finite sequence  $\sigma$  with  $\text{content}(\sigma) \subseteq L$  such that, for each finite sequence  $\sigma'$  with  $\text{content}(\sigma') \subseteq L$ ,  $\pi_1^2(\mathbf{M}'(\sigma \cdot \sigma')) = \pi_1^2(\mathbf{M}'(\sigma))$ , i.e.,  $\sigma$  is a locking sequence [BB75] for  $\mathbf{M}'$  and  $L$ .

Let  $d = \max\{|x| \mid x \in \text{content}(\sigma)\}$ . Then simple combinatorial arguments verify the following claim.

*Claim 1.* There are  $\ell_0, \ell'_0, \dots, \ell_k, \ell'_k \in \mathbb{N}^+$  such that (i) – (iii) are fulfilled:

- (i)  $\{\ell_0, \dots, \ell_k\} \neq \{\ell'_0, \dots, \ell'_k\}$ .
- (ii)  $|\{\ell_0, \dots, \ell_k\}| = |\{\ell'_0, \dots, \ell'_k\}| = k + 1$ .
- (iii)  $\pi_2^2\left(\mathbf{M}'\left(\sigma \cdot (\mathbf{b}^{d+\ell_0}, \dots, \mathbf{b}^{d+\ell_k})\right)\right) = \pi_2^2\left(\mathbf{M}'\left(\sigma \cdot (\mathbf{b}^{d+\ell'_0}, \dots, \mathbf{b}^{d+\ell'_k})\right)\right)$ .

*Proof of Claim.* Let  $n > k$ . Firstly, consider the collection  $\mathcal{D}$  of all sets  $D = \text{content}(\sigma) \cup \{\mathbf{b}^{d+z_0}, \mathbf{b}^{d+z_1}, \dots, \mathbf{b}^{d+z_k}\}$ , where  $1 \leq z_0 < z_1 < \dots < z_k \leq 3n$ . Obviously,  $|\mathcal{D}| = \binom{3n}{k+1}$ .

Secondly, consider the collection  $\mathcal{S}$  of all sets  $S$  of cardinality at most  $k$  with  $S \subseteq \{\mathbf{b}^{d+z_0}, \mathbf{b}^{d+z_1}, \dots, \mathbf{b}^{d+z_k}\}$ , where again  $1 \leq z_0 < z_1 < z_2 < \dots < z_k \leq 3n$ . Obviously,  $|\mathcal{S}| = \sum_{j=0}^k \binom{3n}{j}$ .

Note that  $|\mathcal{D}| > |\mathcal{S}|$  (provided  $n$  is sufficiently large),  $\sigma$  is a locking sequence for  $\mathbf{M}'$  and  $L$ , and  $\mathbf{M}'$  can store at most  $k$  strings in its example memory.

<sup>4</sup> This part of the proof appeared in [LZ96]. It is repeated here for convenience.

Therefore there exist indices  $\ell_0, \ell'_0, \dots, \ell_k, \ell'_k \in \mathbb{N}^+$  such that (i) – (iii) are fulfilled. This proves the claim.  $\square$  (*Claim 1*)

Finally we show that  $\mathbf{M}'$  cannot identify all languages in  $\mathcal{L}_k$ . Let  $\ell_0, \ell'_0, \dots, \ell_k, \ell'_k \in \mathbb{N}^+$  be fixed such that (i) – (iii) are fulfilled. We set  $\hat{L}$  and  $\tilde{L}$  as follows.

$$\hat{L} = \{\mathbf{a}^{d+1}\} \cup \{\mathbf{b}^z \mid z \leq d\} \cup \{\mathbf{b}^{d+\ell_0}, \dots, \mathbf{b}^{d+\ell_k}\}. \quad (5)$$

$$\tilde{L} = \{\mathbf{a}^{d+1}\} \cup \{\mathbf{b}^z \mid z \leq d\} \cup \{\mathbf{b}^{d+\ell'_0}, \dots, \mathbf{b}^{d+\ell'_k}\}. \quad (6)$$

Obviously  $\hat{L}, \tilde{L} \in \mathcal{L}_k$  and  $\hat{L} \neq \tilde{L}$ . Let  $t$  be any text for  $\{\mathbf{b}^z \mid z \leq d\}$ ,  $\hat{t} = \sigma \cdot (\mathbf{b}^{d+\ell_0}, \dots, \mathbf{b}^{d+\ell_k}) \cdot (\mathbf{a}^{d+1}) \cdot t$ , and  $\tilde{t} = \sigma \cdot (\mathbf{b}^{d+\ell'_0}, \dots, \mathbf{b}^{d+\ell'_k}) \cdot (\mathbf{a}^{d+1}) \cdot t$ . By construction,  $\hat{t}$  is a text for  $\hat{L}$  and  $\tilde{t}$  is a text for  $\tilde{L}$ . Moreover,  $\mathbf{M}'(\sigma \cdot (\mathbf{b}^{d+\ell_0}, \dots, \mathbf{b}^{d+\ell_k})) = \mathbf{M}'(\sigma \cdot (\mathbf{b}^{d+\ell'_0}, \dots, \mathbf{b}^{d+\ell'_k}))$ . Consequently, if  $\mathbf{M}'$  converges on both texts, the final conjecture returned by  $\mathbf{M}'$  is the same for both texts. Thus  $\mathbf{M}'$  fails to learn at least one of the languages  $\hat{L}$  and  $\tilde{L}$ .  $\square$  (*Theorem 15*)

Theorem 15 has the following consequences.

**Corollary 16** (a) For each  $k \in \mathbb{N}^+$ ,  $Tem_k Txt \subset Tem_{k+1} Txt$ .

(b)  $Tem_* Txt - \bigcup_{k \in \mathbb{N}^+} Bem_k Txt \neq \emptyset$ .

(c)  $\bigcup_{k \in \mathbb{N}^+} Bem_k Txt \subset Bem_* Txt$ .

(d)  $\bigcup_{k \in \mathbb{N}^+} Tem_k Txt \subset Tem_* Txt$ .

*Proof of Corollary.* (a) follows from Proposition 11 and Theorem 15. (b) is obtained by combining the classes used in the proof of Theorem 15 in a standard way. (c) follows from (b), and from Propositions 8 and 12(b). (d) follows from (b), and from Propositions 11 and 12(a).  $\square$  (*Corollary 16*)

In contrast to Theorem 15, restriction to temporary memory can have a significant effect upon a learner's capabilities, as demonstrated by our next main result. Intuitively, this result says that being able to store just 1 example indefinitely, can allow one to learn more than being able to store any number of examples temporarily. The proof involves an infinitary self-reference argument.

**Theorem 17**  $Bem_1 Txt - Tem_* Txt \neq \emptyset$ .

*Proof.* Let  $\mathcal{L} =$

$$\begin{aligned} & \{L \mid 0 \notin L \wedge (\forall e \in L)[W_e = L]\} \\ & \cup \left\{ L \mid 0 \in L \wedge (\exists u \in L - \{0\}) \left[ W_u = \emptyset \right. \right. \\ & \quad \left. \left. \wedge (\forall e \in L - \{0, u\})[W_e = L - \{0, u\}] \right] \right\}. \end{aligned} \quad (7)$$

To show that  $\mathcal{L} \in Bem_1Txt$ : Let  $\mathbb{N}_\# = \mathbb{N} \cup \{\#\}$ . By 1-1 s-m-n [Rog67], there exists a 1-1 computable function  $f : (\mathbb{N}_\# \times \{0, 1\} \times \mathbb{N}_\#) \rightarrow \mathbb{N}$  such that, for each  $e, a, u \in \mathbb{N}$ ,

$$W_{f(e,a,u)} = \begin{cases} W_e, & \text{if } [a = 0 \wedge e \neq \#]; \\ W_e \cup \{0, u\}, & \text{if } [a = 1 \wedge e \neq \# \wedge u \neq \#]; \\ \emptyset, & \text{otherwise.} \end{cases} \quad (8)$$

For each  $L \in \mathcal{L}$ , each  $t = (x_i)_{i \in \mathbb{N}} \in Text(L)$ , and each  $i \in \mathbb{N}$ , let  $M$  be as follows. (For ease of presentation, we treat the example memory of  $M$  as an element of  $\mathbb{N}_\#$ , which is  $\#$  when the memory is empty.)  $M_0(t) = \langle f(\#, 0, \#), \# \rangle$  and  $M_{i+1}(\langle f(e_i, a_i, u_i), v_i \rangle, x_i) = \langle f(e_{i+1}, a_{i+1}, u_{i+1}), v_{i+1} \rangle$ , where

$$e_{i+1} = \begin{cases} x_i, & \text{if } [x_i \notin \{\#, 0, e_i\} \wedge [e_i = \# \vee \Phi_{x_i}(x_i) < \Phi_{e_i}(e_i)]]; \\ \uparrow, & \text{if } [x_i \notin \{\#, 0, e_i\} \wedge e_i \neq \# \wedge \varphi_{x_i}(x_i)\uparrow \wedge \varphi_{e_i}(e_i)\uparrow]; \\ e_i, & \text{otherwise;} \end{cases} \quad (9)$$

$$a_{i+1} = \begin{cases} 1, & \text{if } x_i = 0; \\ a_i, & \text{otherwise;} \end{cases} \quad (10)$$

$$u_{i+1} = \begin{cases} v_{i+1}, & \text{if } a_i = 1; \\ u_i, & \text{otherwise;} \end{cases} \quad (11)$$

$$v_{i+1} = \begin{cases} x_i, & \text{if } [x_i \notin \{\#, 0, v_i\} \wedge [v_i = \# \vee \Phi_{v_i}(v_i) < \Phi_{x_i}(x_i)]]; \\ \uparrow, & \text{if } [x_i \notin \{\#, 0, v_i\} \wedge v_i \neq \# \wedge \varphi_{v_i}(v_i)\uparrow \wedge \varphi_{x_i}(x_i)\uparrow]; \\ v_i, & \text{otherwise.} \end{cases} \quad (12)$$

Intuitively, the  $e$ ,  $a$ ,  $u$ , and  $v$  components of  $M$ 's conjectures work as follows. For any  $L \in \mathcal{L}$ :

- The  $e$  component converges to the  $e \in L - \{0\}$  such that  $\Phi_e(e)$  is *minimized*.
- The  $a$  component records whether or not a 0 has been seen.
- The  $u$  component remains  $\#$  until, *if ever*, the  $a$  component indicates that a 0 has been seen; then, the  $u$  component emulates the  $v$  component.
- The  $v$  component converges to the  $v \in L - \{0\}$  such that  $\Phi_v(v)$  is *maximized*.

Note that, for each  $L \in \mathcal{L}$ , and each pair of *distinct*  $e, e' \in L - \{0\}$ , it must be the case that, for *at least one*  $x \in \{e, e'\}$ ,  $\varphi_x(x)\downarrow$ . It follows that, for each  $L \in \mathcal{L}$ , each  $t = (x_i)_{i \in \mathbb{N}} \in Text(L)$ , and each  $i \in \mathbb{N}$ ,  $[e_i\downarrow \wedge a_i\downarrow \wedge u_i\downarrow \wedge v_i\downarrow]$ . Given this fact and the preceding (bulleted) observations, clearly,  $M Bem_1Txt$ -identifies  $\mathcal{L}$ .

---

Set  $\sigma^0 = \lambda$ , and execute stages  $s = 0, 1, \dots$ , successively, as follows.

STAGE  $s$ . Find the *least*  $m \in \mathbb{N}$  (if any) for which one of the following conditions applies, and act accordingly.

COND. (i)  $(\exists i \in \{0, 1\})[\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^m) \uparrow]$ . Go into an infinite loop.

COND. (ii)  $\left[ \neg(\text{i}) \wedge (\exists i \in \{0, 1\})[(\pi_1^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) \neq (\pi_1^2 \circ \mathbf{M})(\sigma^s)] \right]$ .

(a) For the *least*  $i \in \{0, 1\}$  satisfying the condition, set  $\sigma^{s+1} = \sigma^s \cdot e_{2s+i} \cdot \#^m$ .

(b) For each  $j < 2s + 2$ , list  $\text{content}(\sigma^{s+1})$  into  $W_{e_j}$ .

(c) Proceed to stage  $s + 1$ .

COND. (iii)  $\left[ \neg(\text{i})-\text{(ii)} \wedge (\forall i \in \{0, 1\})[(\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) = \emptyset] \right]$ .

(a) Set  $\sigma^{s+1} = \sigma^s$ .

(b) Terminate the construction.

COND. (iv)  $\left[ \neg(\text{i})-\text{(iii)} \wedge m > 0 \wedge (\exists i \in \{0, 1\})[(\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) = (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) \neq \emptyset] \right]$ .

(a) For the *least*  $i \in \{0, 1\}$  satisfying the condition, set  $\sigma^{s+1} = \sigma^s \cdot e_{2s+i} \cdot \#^m$ .

(b) For each  $j < 2s + 2$ , list  $\text{content}(\sigma^{s+1})$  into  $W_{e_j}$ .

(c) Terminate the construction.

---

Fig. 2. The construction of  $(e_j)_{j \in \mathbb{N}}$  and  $(\sigma^s)_{s \in \mathbb{N}}$  in the proof that  $\mathcal{L} \notin \text{Tem}_* \text{Txt}$  (part of Theorem 17). Note: nothing is listed into  $W_{e_j}$ , for any  $j$ , aside from the above.

To show that  $\mathcal{L} \notin \text{Tem}_* \text{Txt}$ : By way of contradiction, let  $\mathbf{M}$  be such that  $\mathbf{M}$   $\text{Tem}_* \text{Txt}$ -identifies  $\mathcal{L}$ . By the Operator Recursion Theorem [Cas74,Cas94], there exist *distinct*  $\varphi$ -programs  $(e_j)_{j \in \mathbb{N}}$ , *none* of which are 0, and whose behavior is determined by the construction in Figure 2. In conjunction with  $(e_j)_{j \in \mathbb{N}}$ , a series of finite sequences  $(\sigma^s)_{s \in \mathbb{N}}$  is constructed. Note that, in the construction of  $(\sigma^s)_{s \in \mathbb{N}}$ ,  $\sigma^{s+1}$  is defined  $\Leftrightarrow$  stage  $s$  is exited. So, if there is a *least*  $s_0$  such that stage  $s_0$  is *not* exited, then, for each  $s' \geq s_0$ , let  $\sigma^{s'+1} = \sigma^{s_0}$ .

*Claim 1.* (a) through (d) below.

(a)  $(\forall s \in \mathbb{N})[\sigma^s \subseteq \sigma^{s+1}]$ .

(b)  $(\forall s \in \mathbb{N})\left[ [s = 0 \vee \text{stage } s - 1 \text{ is exited}] \Rightarrow (\forall j < 2s)[\text{content}(\sigma^s) \subseteq W_{e_j}] \right]$ .

(c)  $(\forall j \in \mathbb{N})[W_{e_j} \subseteq \bigcup_{s \in \mathbb{N}} \text{content}(\sigma^s)]$ .

(d)  $(\forall s \in \mathbb{N})[\text{content}(\sigma^s) \subseteq \{e_j \mid j < 2s\}]$ .

*Proof of Claim.* Clear by the construction of  $(e_j)_{j \in \mathbb{N}}$  and  $(\sigma^s)_{s \in \mathbb{N}}$ .  $\square$  (*Claim 1*)

Consider the following cases.

CASE (I)  $(\exists s \in \mathbb{N})(\forall m \in \mathbb{N})$ [*none* of COND. (i)-(iv) apply for  $m$  in stage  $s$ ]. Then, for each  $m \in \mathbb{N}$ , (i) through (iv) below.

- (i)  $(\forall i \in \{0, 1\})[\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^m) \downarrow]$ .
- (ii)  $(\forall i \in \{0, 1\})[(\pi_1^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) = (\pi_1^2 \circ \mathbf{M})(\sigma^s)]$ .
- (iii)  $(\exists i \in \{0, 1\})[(\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) \neq \emptyset]$ .
- (iv)  $m > 0 \Rightarrow (\forall i \in \{0, 1\})[ \quad (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) \neq$   
 $\quad (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1})$   
 $\quad \vee (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) = \emptyset ]$ .

By (i) and (ii), clearly, for each  $i \in \{0, 1\}$ ,

$$(\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i}) \supseteq (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#) \supseteq (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^2) \supseteq \dots \quad (13)$$

Since, for each  $\sigma$ ,  $(\pi_2^2 \circ \mathbf{M})(\sigma)$  is a *finite* set, both of the sequences corresponding to (13) must eventually reach a fixpoint. But, clearly, by (iii) and (iv), at least one such sequence does *not* reach a fixpoint (a contradiction).

CASE (II)  $(\exists s, m \in \mathbb{N})$ [COND. (i) applies for  $m$  in stage  $s$ ]. Then, clearly,

$$(\forall s')[\text{stage } s' \text{ is exited} \Leftrightarrow s' < s]. \quad (14)$$

Thus, for each  $j < 2s$ ,

$$\begin{aligned} \text{content}(\sigma^s) &\subseteq W_{e_j} \quad \{\text{by (14) and Claim 1(b)}\} \\ &\subseteq \text{content}(\sigma^s) \quad \{\text{by (a) and (c) of Claim 1, and (14)}\} \\ &\subseteq \{e_j \mid j < 2s\} \quad \{\text{by Claim 1(d)}\}. \end{aligned} \quad (15)$$

Clearly, by the construction of  $(e_j)_{j \in \mathbb{N}}$ ,

$$(\forall i \in \{0, 1\})[W_{e_{2s+i}} = \emptyset]. \quad (16)$$

Let  $i \in \{0, 1\}$  be *least* such that

$$\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^m) \uparrow. \quad (17)$$

Let  $t'$  be such that  $t' = \sigma^s \cdot e_{2s+i} \cdot \#^m \cdot 0 \cdot \# \cdot \# \cdot \dots$ . Let  $L' = \text{content}(t')$ . By (15) and (16), clearly,  $L'$  is a language in  $\mathcal{L}$  of the second type in (7) (where,  $u = e_{2s+i}$ ). But, by (17),  $\mathbf{M}$  does *not* *Tem\*Txt*-identify  $L'$  from  $t'$  (a contradiction).

CASE (III)  $(\exists s, m \in \mathbb{N})$ [COND. (iii) applies for  $m$  in stage  $s$ ]. Then, clearly,

$$(\forall s')[\text{stage } s' \text{ is exited} \Leftrightarrow s' \leq s]. \quad (18)$$



Thus, for each  $j < 2s$ ,

$$\begin{aligned}
\text{content}(\sigma^s) &= W_{e_j} && \{\text{by (18) and Claim 1(b)}\} \\
&\subseteq \text{content}(\sigma^{s+1}) && \{\text{by (a) and (c) of Claim 1, and (18)}\} \\
&= \text{content}(\sigma^s) && \{\text{by the case and the constr. of } (\sigma^s)_{s \in \mathbb{N}}\} \\
&\subseteq \{e_j \mid j < 2s\} && \{\text{by Claim 1(d)}\}.
\end{aligned} \tag{19}$$

Clearly, by the construction of  $(e_j)_{j \in \mathbb{N}}$ ,

$$(\forall i \in \{0, 1\})[W_{e_{2s+i}} = \emptyset]. \tag{20}$$

Note that part of COND. (iii) is that COND. (ii) does *not* apply. Thus,

$$(\forall i \in \{0, 1\})[\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^m) = \langle (\pi_1^2 \circ \mathbf{M})(\sigma^s), \emptyset \rangle]. \tag{21}$$

For each  $i \in \{0, 1\}$ , let  $t'_i$  be such that  $t'_i = \sigma^s \cdot e_{2s+i} \cdot \#^m \cdot 0 \cdot \# \cdot \# \cdot \dots$ . For each  $i \in \{0, 1\}$ , let  $L'_i = \text{content}(t'_i)$ . By (19) and (20), clearly,  $L'_0$  and  $L'_1$  are *distinct* languages in  $\mathcal{L}$  of the second type in (7) (where,  $u = e_{2s}$  for  $L'_0$ , and  $u = e_{2s+1}$  for  $L'_1$ ). But, by (21),  $\mathbf{M}$  *cannot* distinguish  $L'_0$  and  $L'_1$  (a contradiction).

CASE (IV)  $(\exists s, m \in \mathbb{N})[\text{COND. (iv) applies for } m \text{ in stage } s]$ . Let  $i \in \{0, 1\}$  be *least* such that

$$(\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) = (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) \neq \emptyset. \tag{22}$$

Note that, part of COND. (iv) is that COND. (ii) does *not* apply. Furthermore, by the case,  $m > 0$ . Thus, it must also be that COND. (ii) does *not* apply for  $m - 1$  (in stage  $s$ ). Consequently,

$$\begin{aligned}
&\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^m) \\
&= \langle (\pi_1^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m), (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m) \rangle && \{\text{immediate}\} \\
&= \langle (\pi_1^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^m), (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) \rangle && \{\text{by (22)}\} \\
&= \langle (\pi_1^2 \circ \mathbf{M})(\sigma^s), (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) \rangle && \{\text{by } \neg(\text{ii}) \text{ for } m\} \\
&= \langle (\pi_1^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}), (\pi_2^2 \circ \mathbf{M})(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) \rangle && \{\text{by } \neg(\text{ii}) \\
&&& \text{for } m - 1\} \\
&= \mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}) && \{\text{immediate}\}.
\end{aligned}$$

Clearly, then, for each  $n \geq m$ ,

$$\mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^n) = \mathbf{M}(\sigma^s \cdot e_{2s+i} \cdot \#^{m-1}). \tag{23}$$

Next, note that, by the construction of  $(\sigma^s)_{s \in \mathbb{N}}$ ,

$$\sigma^{s+1} = \sigma^s \cdot e_{2s+i} \cdot \#^m. \quad (24)$$

Clearly,

$$(\forall s')[\text{stage } s' \text{ is exited} \Leftrightarrow s' \leq s]. \quad (25)$$

Thus, for each  $j < 2s + 2$ ,

$$\begin{aligned} \text{content}(\sigma^{s+1}) &\subseteq W_{e_j} && \{\text{by (25) and Claim 1(b)}\} \\ &\subseteq \text{content}(\sigma^{s+1}) && \{\text{by (a) and (c) of Claim 1, and (25)}\} \\ &\subseteq \{e_j \mid j < 2s + 2\} && \{\text{by Claim 1(d)}\}. \end{aligned} \quad (26)$$

Let  $t$  be such that  $t = \sigma^{s+1} \cdot \# \cdot \# \cdot \dots$ . Let  $L = \text{content}(t)$ . By (26), clearly,  $L$  is a language in  $\mathcal{L}$  of the first type in (7). But, by (22), (23), and (24),  $\mathbf{M}$  does *not*  $\text{Tem}_* \text{Txt}$ -identify  $L$  from  $t$  (a contradiction).

CASE (V)  $[\neg(\text{I})\text{-(IV)}]$ . Then, clearly,

$$(\forall s \in \mathbb{N})(\exists m \in \mathbb{N})[\text{COND. (ii) applies for } m \text{ in stage } s]. \quad (27)$$

Let  $t = \lim_{s \rightarrow \infty} \sigma^s$ . By Claim 1(a),  $t$  is well-defined, and, by (27) and the construction of  $(\sigma^s)_{s \in \mathbb{N}}$ ,  $t$  is total. Clearly,

$$(\forall s \in \mathbb{N})[\text{stage } s \text{ is exited}]. \quad (28)$$

Thus, for each  $j \in \mathbb{N}$ ,

$$\begin{aligned} \text{content}(t) &= \bigcup_{s \in \mathbb{N}} \text{content}(\sigma^s) \{\text{immediate}\} \\ &\subseteq W_{e_j} && \{\text{by (28), and (a) and (b) of Claim 1}\} \\ &\subseteq \bigcup_{s \in \mathbb{N}} \text{content}(\sigma^s) \{\text{by Claim 1(c)}\} \\ &\subseteq \{e_j \mid j \in \mathbb{N}\} && \{\text{by Claim 1(d)}\}. \end{aligned} \quad (29)$$

By (29),  $\text{content}(t)$  is a language in  $\mathcal{L}$  of the first type in (7). But, by (27),  $\mathbf{M}$  *never* reaches a final conjecture on  $t$  (a contradiction).  $\square$  (*Theorem 17*)

Theorem 17 has the following consequences.

**Corollary 18** (a) For each  $k \in \mathbb{N}^+$ ,  $\text{Tem}_k \text{Txt} \subset \text{Bem}_k \text{Txt}$ .  
(b)  $\text{Tem}_* \text{Txt} \subset \text{Bem}_* \text{Txt}$ .

*Proof of Corollary.* To show (a): by Proposition 11,  $\text{Tem}_k \text{Txt} \subseteq \text{Bem}_k \text{Txt}$ ; by Theorems 7 and 17, and by Proposition 12(a),  $\text{Bem}_k \text{Txt} - \text{Tem}_k \text{Txt} \neq \emptyset$ . To show (b): by Proposition 12(b),  $\text{Tem}_* \text{Txt} \subseteq \text{Bem}_* \text{Txt}$ ; by Proposition 8 and Theorem 17,  $\text{Bem}_* \text{Txt} - \text{Tem}_* \text{Txt} \neq \emptyset$ .  $\square$  (*Corollary 18*)

## 5 *Tem*-learning of *indexable* classes of languages

In this section, we consider the special case of *Tem*-learning of indexable classes of languages. A class of languages  $\mathcal{L}$  is indexable iff (by definition) there exists a computable function  $d : \mathbb{N} \times \mathbb{N} \rightarrow \{0, 1\}$  such that  $\mathcal{L} = \{L_i \mid i \in \mathbb{N}\}$  where, for each  $i \in \mathbb{N}$ ,  $L_i = \{x \in \mathbb{N} \mid d(i, x) = 1\}$  [LZZ08]. Many interesting *and natural* classes of languages are indexable. For example, the classes of regular and context free languages [HMU01] are each indexable.

The next two results say that two of the important separation results obtained in Section 4 are witnessed by indexable classes of languages.

**Corollary 19 (of the proof of Theorem 15)** For each  $k \in \mathbb{N}^+$ , there is an indexable class of languages  $\mathcal{L}_k$  such that  $\mathcal{L}_k \in \text{Tem}_{k+1}\text{Txt} - \text{Bem}_k\text{Txt}$ .

*Proof of Corollary.* One need only observe that each of the  $\mathcal{L}_k$  constructed in the proof of Theorem 15 is an indexable class.  $\square$  (*Corollary 19*)

**Theorem 20** There is an indexable class of languages  $\mathcal{L} \in \text{Bem}_*\text{Txt} - \text{Tem}_*\text{Txt}$ .

*Proof.* Let  $\langle \cdot, \cdot \rangle : \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}$  be any 1-1, onto, computable function. For each  $A, B \subseteq \mathbb{N}$ , let  $A \times B = \{\langle a, b \rangle \mid a \in A \wedge b \in B\}$ . Let  $\mathcal{L}$  be such that

$$\mathcal{L} = \left\{ \{e\} \times A \mid e \in \mathbb{N} \wedge 0 \in A \wedge A \in \text{Fin}(\mathbb{N}) \right\} \cup \{L_e \mid e \in \mathbb{N}\}, \quad (30)$$

where, for each  $e \in \mathbb{N}$ ,  $L_e = \bigcup_{s \in \mathbb{N}} \text{content}(\sigma_e^s)$ , and  $(\sigma_e^s)_{s \in \mathbb{N}}$  is constructed as follows.

Set  $\sigma_e^0 = \langle e, 1 \rangle$ , and execute stages  $s = 0, 1, \dots$ , successively, as follows.

STAGE  $s$ . Act according to the following (decidable) conditions, then go to stage  $s + 1$ .

COND. (i)  $(\exists n \leq s)[\Phi_e(\sigma_e^s \cdot \#^n) \leq s \wedge (\pi_2^2 \circ \varphi_e)(\sigma_e^s \cdot \#^n) = \emptyset]$ . For the *least*  $n \in \mathbb{N}$  satisfying the condition, set  $\sigma_e^{s+1} = \sigma_e^s \cdot \#^n \cdot \langle e, s + 2 \rangle$ .

COND. (ii)  $[\neg(\text{i})]$ . Set  $\sigma_e^{s+1} = \sigma_e^s$ .

Note that, for each  $e, s \in \mathbb{N}$ ,  $\langle e, s + 2 \rangle \in L_e \Leftrightarrow$  COND. (i) applies in stage  $s$  in the construction of  $(\sigma_e^s)_{s \in \mathbb{N}}$ . Furthermore, it is clearly the case that  $\{\langle e, 1 \rangle\} \subseteq L_e \subseteq \{e\} \times (\mathbb{N} + 1)$ . Thus, each  $L_e$  is computable. By only slightly more reasoning, it can be seen that  $\mathcal{L}$  is an indexable class.

It is easily seen that  $\mathcal{L} \in \text{Sdr}\text{Txt}$ . Thus, by Theorem 9,  $\mathcal{L} \in \text{Bem}_*\text{Txt}$ .

It remains to show that  $\mathcal{L} \notin \text{Tem}_*\text{Txt}$ . By way of contradiction, let  $\mathbf{M}$  be such that  $\mathbf{M}$  *Tem*\**Txt*-identifies  $\mathcal{L}$ . Let  $e$  be such that  $\varphi_e = \lambda\sigma. \mathbf{M}(\sigma)$ . Clearly, such

an  $e$  exists. Consider the following cases.

CASE  $(\forall s \in \mathbb{N})[\text{COND. (ii) applies in stage } s \text{ in the construction of } (\sigma_e^s)_{s \in \mathbb{N}}]$ . Let  $s_0$  be such that

$$(\forall s \geq s_0)[\text{COND. (ii) applies in stage } s \text{ in the construction of } (\sigma_e^s)_{s \in \mathbb{N}}]. \quad (31)$$

Clearly,  $(\forall s \in \mathbb{N})[\sigma_e^s \subseteq \sigma_e^{s_0}]$ . Thus,  $L_e = \text{content}(\sigma_e^{s_0})$ . Since  $\mathbf{M}$  *Tem\*Txt*-identifies  $\mathcal{L}$ , there must exist  $n$  such that

$$\mathbf{M}(\sigma_e^{s_0} \cdot \#^n) \downarrow \wedge (\pi_2^2 \circ \mathbf{M})(\sigma_e^{s_0} \cdot \#^n) = \emptyset. \quad (32)$$

By (32), there exists a *least*  $s \geq s_0$  such that

$$(\exists n \leq s)[\Phi_e(\sigma_e^s \cdot \#^n) \leq s \wedge (\pi_2^2 \circ \varphi_e)(\sigma_e^s \cdot \#^n) = \emptyset]. \quad (33)$$

Clearly, COND. (i) applies in stage  $s$  (a contradiction).

CASE  $(\exists s \in \mathbb{N})[\text{COND. (i) applies in stage } s \text{ in the construction of } (\sigma_e^s)_{s \in \mathbb{N}}]$ . Let  $t = \lim_{s \rightarrow \infty} \sigma_e^s$ . Clearly,  $t$  is well-defined, and, by the case,  $t$  is total. Since  $\mathbf{M}$  *Tem\*Txt*-identifies  $\mathcal{L}$ , there must exist  $n_0$  and  $p_0$  such that

$$(\forall i \geq n_0)[(\pi_1^2 \circ \mathbf{M})(t[i]) = p_0]. \quad (34)$$

Choose  $s_0$  so that

$$t[n_0] \subseteq \sigma_e^{s_0}. \quad (35)$$

Let  $s_1$  and  $s_2$  be *least* such that  $s_0 \leq s_1 < s_2$  and COND. (i) applies in stages  $s_1$  and  $s_2$ . Then, clearly, there exist  $n_1 \leq s_1$  and  $n_2 \leq s_2$  such that (a) through (c) below.

- (a)  $\mathbf{M}(\sigma_e^{s_0} \cdot \#^{n_1}) \downarrow \wedge (\pi_2^2 \circ \mathbf{M})(\sigma_e^{s_0} \cdot \#^{n_1}) = \emptyset$ .
- (b)  $\sigma_e^{s_1+1} = \sigma_e^{s_0} \cdot \#^{n_1} \cdot \langle e, s_1 + 2 \rangle$ .
- (c)  $\mathbf{M}(\sigma_e^{s_1+1} \cdot \#^{n_2}) \downarrow \wedge (\pi_2^2 \circ \mathbf{M})(\sigma_e^{s_1+1} \cdot \#^{n_2}) = \emptyset$ .

Combining (a) through (c) with (34) and (35) above, we have

$$\mathbf{M}(\sigma_e^{s_0} \cdot \#^{n_1}) = \mathbf{M}(\sigma_e^{s_0} \cdot \#^{n_1} \cdot \langle e, s_1 + 2 \rangle \cdot \#^{n_2}) = \langle p_0, \emptyset \rangle. \quad (36)$$

Let  $t'_0$  and  $t'_1$  be as follows.

$$t'_0 = \sigma_e^{s_0} \cdot \#^{n_1} \cdot \langle e, 0 \rangle \cdot \# \cdot \# \cdot \dots \quad (37)$$

$$t'_1 = \sigma_e^{s_0} \cdot \#^{n_1} \cdot \langle e, s_1 + 2 \rangle \cdot \#^{n_2} \cdot \langle e, 0 \rangle \cdot \# \cdot \# \cdot \dots \quad (38)$$

Clearly,  $\text{content}(t'_0)$  and  $\text{content}(t'_1)$  are *distinct* languages in  $\mathcal{L}$ . But, by (36),  $\mathbf{M}$  *cannot* distinguish the languages represented by  $t'_0$  and  $t'_1$  (a contradiction).

□ (*Theorem 20*)

It is currently open whether or not the remaining separation results of Section 4 can be witnessed by indexable classes of languages.

**Problem 21** Let  $k \in \mathbb{N}^+$ ,  $\mathfrak{A} \in \{Bem_1Txt, \dots, Bem_kTxt\}$ , and  $\mathfrak{B} \in \{Tem_kTxt, Tem_{k+1}Txt, \dots, Tem_*Txt\}$ . Is there an indexable class of languages  $\mathcal{L} \in \mathfrak{A} - \mathfrak{B}$ ?

## 6 *Tem*-learning of classes of *infinite* languages

In this section, we consider the special case of *Tem*-learning of classes of infinite languages. Our main result of this section, Theorem 26, says that any class of infinite languages that can be identified by memorizing an arbitrary but finite number of examples in the *Bem* sense, can also be identified by memorizing an arbitrary but finite number of examples in the *Tem* sense.

Our first result of this section says that one of the important separation results obtained in Section 4 is witnessed by a class of infinite languages.

**Theorem 22** For each  $k \in \mathbb{N}^+$ , there exists a class  $\mathcal{L}_k$  of infinite languages such that  $\mathcal{L}_k \in Tem_{k+1}Txt - Bem_kTxt$ .

*Proof.* Let  $k \in \mathbb{N}^+$ . Fix  $\Sigma = \{a, b, c\}$ . The witnessing class can be defined by taking the class  $\mathcal{L}_k$  used in the proof of Theorem 15 and by adding the infinite set  $\{c\}^*$  to every language in this class. Further details are omitted.

□ (*Theorem 22*)

Before presenting our next main result, it is worth recalling the following.

**Theorem 23 (Osherson, Stob, and Weinstein [OSW86])** Let  $\mathcal{L}$  be any class of infinite languages. Then,  $\mathcal{L} \in LimTxt$  iff  $\mathcal{L} \in SdrTxt$ .

Note that Theorems 9 and 23 have the following corollary.

**Corollary 24 (of Theorems 9 and 23)** Let  $\mathcal{L}$  be any class of infinite languages. Then,  $\mathcal{L} \in LimTxt$  iff  $\mathcal{L} \in Bem_*Txt$ .

Thus, *Bem*<sub>\*</sub>-learning is *not* a proper restriction when learning classes of infinite languages. This is in contrast to Theorem 9 which also says that *Bem*<sub>\*</sub>-learning *is* a proper restriction when learning classes of arbitrary languages.

Our next main result says that *Tem*<sub>\*</sub>-learning is equivalent to *Bem*<sub>\*</sub>-learning when learning classes of infinite languages. Thus, by Corollary 24, *Tem*<sub>\*</sub>-learning is similarly *not* a proper restriction when learning classes of infinite languages.

The proof of the aforementioned result requires the following technical lemma.

**Lemma 25** Let  $L$  be a language. Suppose that  $M$  *SdrTxt*-identifies  $L$  and that  $t \in \text{Text}(L)$ . Then, there exists  $i \in \mathbb{N}$  such that

$$\left(\forall A \in \text{Fin}(\mathbb{N})\right) \left[ \text{content}(t[i]) \subseteq A \subseteq L \Rightarrow M(A) \downarrow = M(\text{content}(t[i])) \right]. \quad (39)$$

*Proof.* It is straightforward to show that, if such an  $i$  did *not* exist, then one could construct another text  $t'$  for  $L$  on which  $M$  would never reach a final conjecture.  $\square$  (*Lemma 25*)

**Theorem 26** Let  $\mathcal{L}$  be any class of infinite languages. Then,  $\mathcal{L} \in \text{Bem}_* \text{Txt}$  iff  $\mathcal{L} \in \text{Tem}_* \text{Txt}$ .

*Proof.* By Proposition 12(b), it suffices to show that, for each class of infinite languages  $\mathcal{L}$ , if  $\mathcal{L} \in \text{Bem}_* \text{Txt}$ , then  $\mathcal{L} \in \text{Tem}_* \text{Txt}$ . So, let  $\mathcal{L}$  be a class of infinite languages, and suppose that  $\mathcal{L} \in \text{Bem}_* \text{Txt}$ . An  $M'$  is constructed such that  $M'$  *Tem*<sub>\*</sub>*Txt*-identifies  $\mathcal{L}$ .

By Theorem 9, there exists  $M$  such that  $M$  *SdrTxt*-identifies  $\mathcal{L}$ . Without loss of generality, suppose that  $M(\emptyset) \downarrow$ . Let  $p_M$  be such that, for each finite  $A \subseteq \mathbb{N}$ ,  $\varphi_{p_M}(A) = M(A)$ . By 1-1 s-m-n [Rog67], there exists a 1-1 computable function  $f$  such that, for each finite  $A, B \subseteq \mathbb{N}$ , and each  $k \in \{0, 1\}$ ,  $W_{f(A,B,k)} = W_{M(A)}$ .

For each  $L \in \mathcal{L}$ , each  $t = (x_i)_{i \in \mathbb{N}} \in \text{Text}(L)$ , and each  $i \in \mathbb{N}$ , let  $M'$  be as follows.  $M'_0(t) = \langle f(\emptyset, \emptyset, 0), \emptyset \rangle$  and  $M'_{i+1}(t) = M'(\langle f(A_i, B_i, k_i), X_i \rangle, x_i) = \langle f(A_{i+1}, B_{i+1}, k_{i+1}), X_{i+1} \rangle$ , where  $A_{i+1}$ ,  $B_{i+1}$ ,  $k_{i+1}$ , and  $X_{i+1}$  are determined as in Figure 3.

Let  $L \in \mathcal{L}$  and  $t = (x_i)_{i \in \mathbb{N}} \in \text{Text}(L)$  be fixed. For each  $i \in \mathbb{N}$ , let  $B_i^*$  be as in Figure 3. For each  $j \in \mathbb{N}$ , if  $B_j^*$  is *not* set by the construction (i.e., because  $x_j = \#$ ), and there exists a *greatest*  $i < j$  such that  $B_i^*$  is set by the construction, then let  $B_j^* = B_i^*$ . If  $x_0 = \#$ , then let  $B_0^* = \emptyset$ . Define  $X_i^+$ ,  $C_i$ , etc. similarly.

That  $M'$  *Tem*<sub>\*</sub>*Txt*-identifies  $L$  from  $t$  follows from Claims 7 and 9, and from the definition of  $f$ .

*Claim 1.* For each  $i \in \mathbb{N}$ , if  $(B_i^* \cup X_i) = \text{content}(t[i])$ , then  $C_i = \text{content}(t[i+1])$ .

*Proof of Claim.* Immediate by the definition of  $C_i$ .  $\square$  (*Claim 1*)

---

$A_0 = B_0 = X_0 = \emptyset$  and  $k_0 = 0$ . For each  $i \in \mathbb{N}$ ,  $A_{i+1} = A_i$ ,  $B_{i+1} = B_i$ ,  $k_{i+1} = k_i$ , and  $X_{i+1} = X_i$ , unless stated otherwise.

0 **if**  $x_i \neq \#$  **then**

1 **let**  $B_i^* = \begin{cases} B_i, & \text{if } k_i = 0; \\ W_{M(A_i)}^{s_i^{\min}}, & \text{if } k_i = 1, \text{ where } s_i^{\min} = \min\{s \mid (W_{M(A_i)}^{s+1} \cap X_i) \neq \emptyset\}; \end{cases}$

/\* For the latter case, the proof of Claim 2 shows that  $s_i^{\min} < \infty$ . \*/

2 **let**  $X_i^+ = (X_i \cup \{x_i\})$ ;

3 **let**  $C_i = (B_i^* \cup X_i^+)$ ;

4 **let**  $S_i = \left\{ s \leq \max(C_i) \mid \begin{aligned} & B_i^* \subseteq W_{M(A_i)}^s \subseteq C_i \\ & \wedge (W_{M(A_i)}^{s+1} \cap (X_i^+ - W_{M(A_i)}^s)) \neq \emptyset \end{aligned} \right\}$ ;

5 **if**  $(\exists A') [B_i \subseteq A' \subseteq C_i \wedge \varphi_{PM}^{\max(C_i)}(A') \downarrow \neq \varphi_{PM}^{\max(C_i)}(A_i) \downarrow]$  **then**

6  $A_{i+1} \leftarrow A'$ ;  $B_{i+1} \leftarrow C_i$ ;  $k_{i+1} \leftarrow 0$ ;  $X_{i+1} \leftarrow \emptyset$ ;

7 **else if**  $S_i \neq \emptyset$  **then**

8  $k_{i+1} \leftarrow 1$ ;  $X_{i+1} \leftarrow (X_i^+ - W_{M(A_i)}^{s_i^{\max}})$ , where  $s_i^{\max} = \max(S_i)$ ;

9 **else**

10  $X_{i+1} \leftarrow X_i^+$ ;

11 **end if**;

12 **end if**.

---

Fig. 3. The behavior of  $M'$  in the proof of Theorem 26.

*Claim 2.* For each  $i \in \mathbb{N}$ , (a) and (b) below.

(a)  $(B_i^* \cup X_i) = \text{content}(t[i])$ .

(b)  $k_i = 1 \Rightarrow [i > 0 \wedge s_i^{\min} = s_{i-1}^{\max} \in S_i]$ .

*Proof of Claim.* The proof is by induction on  $i$ . For the case when  $i = 0$ ,  $k_i = 0$  and  $B_i \cup X_i = \emptyset = \text{content}(t[0])$ . So, suppose that (a) and (b) hold for  $i$ . To show that (a) and (b) hold for  $i + 1$ , consider the following cases.

CASE (I)  $[x_i = \# \wedge k_i = 0]$ . Then,  $A_{i+1} = A_i$ ,  $B_{i+1} = B_i$ ,  $k_{i+1} = k_i (= 0)$ ,

and  $X_{i+1} = X_i$ . Thus,

$$\begin{aligned}
(B_{i+1}^* \cup X_{i+1}) &= (B_{i+1} \cup X_{i+1}) && \{\text{because } k_{i+1} = 0\} \\
&= (B_i \cup X_{i+1}) && \{\text{because } B_{i+1} = B_i\} \\
&= (B_i^* \cup X_{i+1}) && \{\text{because } k_i = 0\} \\
&= (B_i^* \cup X_i) && \{\text{because } X_{i+1} = X_i\} \\
&= \text{content}(t[i]) && \{\text{by (a) for } i\} \\
&= \text{content}(t[i+1]) && \{\text{because } x_i = \#\}.
\end{aligned} \tag{40}$$

CASE (II) [ $x_i = \# \wedge k_i = 1$ ]. Similar to the previous case.

CASE (III)  $\left[ \neg(\text{I})-(\text{II}) \right.$  Then,  
 $\left. \wedge (\exists A') [B_i \subseteq A' \subseteq C_i \wedge \varphi_{p_M}^{\max(C_i)}(A') \downarrow \neq \varphi_{p_M}^{\max(C_i)}(A_i) \downarrow] \right]$ .  
 $A_{i+1} = A'$ ,  $B_{i+1} = C_i$ ,  $k_{i+1} = 0$ , and  $X_{i+1} = \emptyset$  (line 6 of Figure 3). Thus,

$$\begin{aligned}
(B_{i+1}^* \cup X_{i+1}) &= (B_{i+1} \cup X_{i+1}) && \{\text{because } k_{i+1} = 0\} \\
&= (C_i \cup X_{i+1}) && \{\text{because } B_{i+1} = C_i\} \\
&= (C_i \cup \emptyset) && \{\text{because } X_{i+1} = \emptyset\} \\
&= C_i && \{\text{immediate}\} \\
&= \text{content}(t[i+1]) && \{\text{by (a) for } i \text{ and Claim 1}\}.
\end{aligned} \tag{41}$$

CASE (IV) [ $\neg(\text{I})-(\text{III}) \wedge S_i \neq \emptyset$ ]. Then,  $A_{i+1} = A_i$ ,  $B_{i+1} = B_i$ ,  $k_{i+1} = 1$ , and  $X_{i+1} = (X_i^+ - W_{M(A_i)}^{s_i^{\max}})$ , where  $s_i^{\max}$  is *largest* such that

$$s_i^{\max} \leq \max(C_i) \wedge B_i^* \subseteq W_{M(A_i)}^{s_i^{\max}} \subseteq C_i \wedge \left( W_{M(A_i)}^{s_i^{\max}+1} \cap (X_i^+ - W_{M(A_i)}^{s_i^{\max}}) \right) \neq \emptyset \tag{42}$$

(line 8 of Figure 3).

To show that  $s_{i+1}^{\min} \leq s_i^{\max} (< \infty)$ :

$$\begin{aligned}
&(W_{M(A_{i+1})}^{s_i^{\max}+1} \cap X_{i+1}) \\
&= (W_{M(A_i)}^{s_i^{\max}+1} \cap X_{i+1}) && \{\text{because } A_{i+1} = A_i\} \\
&= \left( W_{M(A_i)}^{s_i^{\max}+1} \cap (X_i^+ - W_{M(A_i)}^{s_i^{\max}}) \right) && \{\text{because } X_{i+1} = (X_i^+ - W_{M(A_i)}^{s_i^{\max}})\} \\
&\neq \emptyset && \{\text{by (42)}\}.
\end{aligned} \tag{43}$$



To show that  $s_i^{\max} \leq s_{i+1}^{\min}$ , note that, if  $s_{i+1}^{\min} < s_i^{\max}$ , then  $s_{i+1}^{\min} + 1 \leq s_i^{\max}$  and, thus,

$$W_{M(A_i)}^{s_{i+1}^{\min}+1} \subseteq W_{M(A_i)}^{s_i^{\max}} \wedge (W_{M(A_i)}^{s_{i+1}^{\min}+1} \cap X_{i+1}) \neq \emptyset \wedge X_{i+1} = (X_i^+ - W_{M(A_i)}^{s_i^{\max}}), \quad (44)$$

which is clearly contradictory.

To show that  $(B_{i+1}^* \cup X_{i+1}) \subseteq \text{content}(t[i+1])$ :

$$\begin{aligned} & B_{i+1}^* \cup X_{i+1} \\ = & (W_{M(A_{i+1})}^{s_{i+1}^{\min}} \cup X_{i+1}) && \{\text{because } k_{i+1} = 1\} \\ = & (W_{M(A_{i+1})}^{s_i^{\max}} \cup X_{i+1}) && \{\text{because } s_{i+1}^{\min} = s_i^{\max} \text{ (shown in} \\ & && \text{(43) and (44))}\} \\ = & (W_{M(A_i)}^{s_i^{\max}} \cup X_{i+1}) && \{\text{because } A_{i+1} = A_i\} \quad (45) \\ = & (W_{M(A_i)}^{s_i^{\max}} \cup (X_i^+ - W_{M(A_i)}^{s_i^{\max}})) && \{\text{because } X_{i+1} = (X_i^+ - W_{M(A_i)}^{s_i^{\max}})\} \\ = & (W_{M(A_i)}^{s_i^{\max}} \cup X_i^+) && \{\text{immediate}\} \\ \subseteq & C_i && \{\text{by (42) and definition of } C_i\} \\ = & \text{content}(t[i+1]) && \{\text{by (a) for } i \text{ and Claim 1}\}. \end{aligned}$$

To show that  $\text{content}(t[i+1]) \subseteq (B_{i+1}^* \cup X_{i+1})$ :

$$\begin{aligned} \text{content}(t[i+1]) &= C_i && \{\text{by (a) for } i \text{ and Claim 1}\} \\ &= (B_i^* \cup X_i^+) && \{\text{by definition of } C_i\} \\ &\subseteq (W_{M(A_i)}^{s_i^{\max}} \cup X_i^+) && \{\text{by (42)}\} \\ &= B_{i+1}^* \cup X_{i+1} && \{\text{by reasoning as in (45)}\}. \end{aligned} \quad (46)$$

Finally, to show that  $s_i^{\max} \in S_{i+1}$ , the conditions in line 4 of Figure 3 are shown independently.

To show that  $B_{i+1}^* \subseteq W_{M(A_{i+1})}^{s_i^{\max}} \subseteq C_{i+1}$ :

$$\begin{aligned}
& B_{i+1}^* \\
&= W_{M(A_{i+1})}^{s_{i+1}^{\min}} \quad \{\text{because } k_{i+1} = 1\} \\
&= W_{M(A_{i+1})}^{s_i^{\max}} \quad \{\text{because } s_{i+1}^{\min} = s_i^{\max} \text{ (shown in (43) and (44))}\} \\
&= W_{M(A_i)}^{s_i^{\max}} \quad \{\text{because } A_{i+1} = A_i\} \\
&\subseteq C_i \quad \{\text{by (42)}\} \\
&= \text{content}(t[i+1]) \quad \{\text{by (a) for } i \text{ and Claim 1}\} \\
&\subseteq \text{content}(t[i+2]) \quad \{\text{immediate}\} \\
&= C_{i+1} \quad \{\text{by (a) for } i+1 \text{ (shown in (45) and (46)) and} \\
&\quad \text{Claim 1}\}.
\end{aligned} \tag{47}$$

To show that  $s_i^{\max} \leq \max(C_{i+1})$ :

$$\begin{aligned}
s_i^{\max} &\leq \max(C_i) \quad \{\text{by (42)}\} \\
&\leq \max(C_{i+1}) \quad \{\text{by reasoning as in (47)}\}.
\end{aligned} \tag{48}$$

To show that  $(W_{M(A_{i+1})}^{s_i^{\max+1}} \cap (X_{i+1}^+ - W_{M(A_{i+1})}^{s_i^{\max}})) \neq \emptyset$ , note that  $s_{i+1}^{\min} = s_i^{\max}$  (shown in (43) and (44)) and

$$(W_{M(A_{i+1})}^{s_{i+1}^{\min}} \cap X_{i+1}) = \emptyset \wedge (W_{M(A_{i+1})}^{s_{i+1}^{\min+1}} \cap X_{i+1}) \neq \emptyset \wedge X_{i+1} \subseteq X_{i+1}^+. \tag{49}$$

CASE (V)  $[\neg(\text{I})\text{-(IV)}]$ . Since  $S_i = \emptyset$ , by (b) for  $i$ , it must be the case that  $k_i = 0$ . Thus,  $A_{i+1} = A_i$ ,  $B_{i+1} = B_i$ ,  $k_{i+1} = k_i (= 0)$ , and  $X_{i+1} = X_i^+ (= (X_i \cup \{x_i\}))$  (line 10 of Figure 3). Furthermore,

$$\begin{aligned}
(B_{i+1}^* \cup X_{i+1}) &= (B_{i+1} \cup X_{i+1}) \quad \{\text{because } k_{i+1} = 0\} \\
&= (B_i \cup X_{i+1}) \quad \{\text{because } B_{i+1} = B_i\} \\
&= (B_i^* \cup X_{i+1}) \quad \{\text{because } k_i = 0\} \\
&= (B_i^* \cup X_i \cup \{x_i\}) \quad \{\text{because } X_{i+1} = (X_i \cup \{x_i\})\} \\
&= (\text{content}(t[i]) \cup \{x_i\}) \quad \{\text{by (a) for } i\} \\
&= \text{content}(t[i+1]) \quad \{\text{because } x \neq \#\}.
\end{aligned} \tag{50}$$

□ (*Claim 2*)

*Claim 3.* (a) through (e) below.

- (a)  $(\forall i) \left[ A_i \neq A_{i+1} \Rightarrow \left[ B_i \subseteq A_{i+1} \subseteq \text{content}(t[i+1]) \wedge B_{i+1} = \text{content}(t[i+1]) \right] \right]$ .
- (b)  $(\forall i)[M(A_i)\downarrow]$ .
- (c)  $(\forall i)[B_i \neq B_{i+1} \Rightarrow A_i \neq A_{i+1}]$ .
- (d)  $(\forall i)[[k_i = 1 \wedge k_{i+1} = 0] \Rightarrow A_i \neq A_{i+1}]$ .
- (e)  $(\forall i, j)[i \leq j \Rightarrow B_i \subseteq B_j \subseteq \text{content}(t[j])]$ .

*Proof of Claim.* (a) follows from Claims 1 and 2(a), and from the construction of  $M'$ . (b) is shown by a straightforward induction. (c) and (d) are clear by the construction of  $M'$ . (e) follows from (a) and (c).  $\square$  (*Claim 3*)

*Claim 4.* There exists  $i \in \mathbb{N}$  such that  $(\forall j \geq i)[A_j = A_i]$ .

*Proof of Claim.* By way of contradiction, suppose otherwise. By Lemma 25, there exists  $i_0$  such that

$$(\forall \text{ finite } A') \left[ \text{content}(t[i_0]) \subseteq A' \subseteq L \Rightarrow M(A')\downarrow = M(\text{content}(t[i_0])) \right]. \quad (51)$$

By Claim 3(a) and the (supposed) failure of the present claim, there exists  $i_1 \geq i_0$  such that

$$\text{content}(t[i_0]) \subseteq B_{i_1}. \quad (52)$$

By Claim 3(a) and a second application of the failure of the present claim, there exists  $i_2 > i_1$  such that

$$B_{i_1} \subseteq A_{i_2} \subseteq \text{content}(t[i_2]). \quad (53)$$

Note that, by (51) through (53),

$$M(A_{i_2})\downarrow = M(\text{content}(t[i_0])). \quad (54)$$

By a third application of the failure of the present claim, there exists  $i_3 \geq i_2$  such that

$$A_{i_3} = A_{i_2} \wedge A_{i_3+1} \neq A_{i_2}. \quad (55)$$

By the construction of  $M'$  (i.e., line 5 of Figure 3), there must exist  $A'$  such that

$$B_{i_3} \subseteq A' \subseteq C_{i_3} \wedge M(A')\downarrow \neq M(A_{i_3})\downarrow. \quad (56)$$

Thus,

$$\begin{aligned}
\text{content}(t[i_0]) &\subseteq B_{i_1} && \{\text{by (52)}\} \\
&\subseteq B_{i_3} && \{\text{by Claim 3(e)}\} \\
&\subseteq A' && \{\text{by (56)}\} \\
&\subseteq C_{i_3} && \{\text{by (56)}\} \\
&= \text{content}(t[i_3 + 1]) && \{\text{by Claims 1 and 2(a)}\} \\
&\subseteq L && \{\text{immediate}\}.
\end{aligned} \tag{57}$$

Furthermore,

$$\begin{aligned}
M(A')\downarrow &\neq M(A_{i_3})\downarrow && \{\text{by (56)}\} \\
&= M(A_{i_2}) && \{\text{by (55)}\} \\
&= M(\text{content}(t[i_0])) && \{\text{by (54)}\}.
\end{aligned} \tag{58}$$

But this contradicts (51). □ (Claim 4)

*Claim 5.* There exists  $i \in \mathbb{N}$  such that  $(\forall j \geq i)[A_j = A_i \wedge B_j = B_i]$ .

*Proof of Claim.* Immediate by Claims 3(c) and 4. □ (Claim 5)

*Claim 6.* There exists  $i \in \mathbb{N}$  such that  $W_{M(A_i)} = L$  and  $(\forall j \geq i)[A_j = A_i \wedge B_j = B_i]$ .

*Proof of Claim.* By Claim 5, there exists  $i \in \mathbb{N}$  such that  $(\forall j \geq i)[A_j = A_i \wedge B_j = B_i]$ . By Claim 3(b),  $M(A_i)\downarrow$ . Clearly, by the construction of  $M'$ , the condition in line 5 of Figure 3 *never* applies as  $M'$  is fed  $x_i, x_{i+1}, \dots$ . Thus,

$$(\forall j \geq i)(\forall \text{finite } A') \left[ [B_i \subseteq A' \subseteq C_j \wedge M(A')\downarrow] \Rightarrow M(A') = M(A_i) \right]. \tag{59}$$

By Claim 3(e),  $B_i \subseteq \text{content}(t[i])$  and, by Claims 1 and 2(a), for each  $j \geq i$ ,  $C_j = \text{content}(t[j + 1])$ . Thus,

$$(\forall j \geq i) \left[ M(\text{content}(t[j]))\downarrow \Rightarrow M(\text{content}(t[j])) = M(A_i) \right]. \tag{60}$$

Clearly, then,  $W_{M(A_i)} = L$ . □ (Claim 6)

*Claim 7.* There exists  $i \in \mathbb{N}$  such that  $W_{M(A_i)} = L$  and  $(\forall j \geq i)[A_j = A_i \wedge B_j = B_i \wedge k_j = 1]$ .

*Proof of Claim.* By way of contradiction, suppose otherwise. By Claims 6, there exists  $i_0$  such that  $W_{M(A_{i_0})} = L$  and  $(\forall j \geq i_0)[A_j = A_{i_0} \wedge B_j = B_{i_0}]$ . By Claim 3(d), it must be the case that  $(\forall j \geq i_0)[k_j = 0]$ . By Claim 3(e),  $B_{i_0} \subseteq \text{content}(t[i_0]) \subseteq L = W_{M(A_{i_0})}$ . Thus, since  $L$  is infinite, there exists  $s_0$  such that

$$B_{i_0} \subseteq W_{M(A_{i_0})}^{s_0} \subset W_{M(A_{i_0})}^{s_0+1}. \quad (61)$$

Again, since  $L$  is infinite, there exists  $i_1 \geq i_0$  such that

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_0 \leq \max(\text{content}(t[i_1 + 1])) \\ & \wedge W_{M(A_{i_0})}^{s_0} \subseteq \text{content}(t[i_1 + 1]) \\ & \wedge \left( W_{M(A_{i_0})}^{s_0+1} \cap (\text{content}(t[i_1 + 1]) - W_{M(A_{i_0})}^{s_0}) \right) \neq \emptyset. \end{aligned} \quad (62)$$

By (62) and Claims 1 and 2(a),

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_0 \leq \max(C_{i_1}) \\ & \wedge W_{M(A_{i_0})}^{s_0} \subseteq C_{i_1} \\ & \wedge \left( W_{M(A_{i_0})}^{s_0+1} \cap (C_{i_1} - W_{M(A_{i_0})}^{s_0}) \right) \neq \emptyset. \end{aligned} \quad (63)$$

Note that  $C_{i_1} = B_{i_1}^* \cup X_{i_1}^+$  and

$$\begin{aligned} B_{i_1}^* &= B_{i_1} \quad \{\text{because } k_{i_1} = 0\} \\ &= B_{i_0} \quad \{\text{because } B_{i_1} = B_{i_0}\} \\ &\subseteq W_{M(A_{i_0})}^{s_0} \quad \{\text{by (61)}\}. \end{aligned} \quad (64)$$

By (63) and (64), it must be the case that

$$\left( W_{M(A_{i_0})}^{s_0+1} \cap (X_{i_1}^+ - W_{M(A_{i_0})}^{s_0}) \right) \neq \emptyset. \quad (65)$$

By (63) through (65), and the fact that  $A_{i_0} = A_{i_1}$ ,

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_0 \leq \max(C_{i_1}) \\ & \wedge B_{i_1}^* \subseteq W_{M(A_{i_1})}^{s_0} \subseteq C_{i_1} \\ & \wedge \left( W_{M(A_{i_1})}^{s_0+1} \cap (X_{i_1}^+ - W_{M(A_{i_1})}^{s_0}) \right) \neq \emptyset. \end{aligned} \quad (66)$$

Thus, by the construction of  $M'$ ,  $s_0 \in S_{i_1}$  and  $k_{i_1+1} = 1$  (a contradiction).

□ (*Claim 7*)

*Claim 8.* Let  $i_0$  be as asserted to exist by Claim 7. Then, for each  $s \in \mathbb{N}$ , there exists  $j \geq i_0$  such that  $s \leq s_j^{\min}$ .

*Proof of Claim.* By way of contradiction, let  $s_0$  be such that, for each  $j \geq i_0$ ,  $s_j^{\min} < s_0$ . By Claim 3(e),  $B_{i_0} \subseteq \text{content}(t[i_0]) \subseteq L = W_{M(A_{i_0})}$ . Thus, since  $L$  is infinite, there exists  $s_1 \geq s_0$  such that

$$B_{i_0} \subseteq W_{M(A_{i_0})}^{s_1} \subset W_{M(A_{i_0})}^{s_1+1}. \quad (67)$$

Again, since  $L$  is infinite, there exists  $i_1 \geq i_0$  such that

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_1 \leq \max(\text{content}(t[i_1 + 1])) \\ & \wedge W_{M(A_{i_0})}^{s_1} \subseteq \text{content}(t[i_1 + 1]) \\ & \wedge \left( W_{M(A_{i_0})}^{s_1+1} \cap (\text{content}(t[i_1 + 1]) - W_{M(A_{i_0})}^{s_1}) \right) \neq \emptyset. \end{aligned} \quad (68)$$

By (68) and Claims 1 and 2(a),

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_1 \leq \max(C_{i_1}) \\ & \wedge W_{M(A_{i_0})}^{s_1} \subseteq C_{i_1} \\ & \wedge \left( W_{M(A_{i_0})}^{s_1+1} \cap (C_{i_1} - W_{M(A_{i_0})}^{s_1}) \right) \neq \emptyset. \end{aligned} \quad (69)$$

Note that  $C_{i_1} = B_{i_1}^* \cup X_{i_1}^+$  and

$$\begin{aligned} B_{i_1}^* &= W_{M(A_{i_1})}^{s_1^{\min}} \{\text{because } k_{i_1} = 1\} \\ &\subseteq W_{M(A_{i_1})}^{s_1} \{\text{because } s_{i_1}^{\min} < s_0 \leq s_1\} \\ &= W_{M(A_{i_0})}^{s_1} \{\text{because } A_{i_1} = A_{i_0}\}. \end{aligned} \quad (70)$$

By (69) and (70), it must be the case that

$$\left( W_{M(A_{i_0})}^{s_1+1} \cap (X_{i_1}^+ - W_{M(A_{i_0})}^{s_1}) \right) \neq \emptyset. \quad (71)$$

By (69) through (71), and the fact that  $A_{i_0} = A_{i_1}$ ,

$$\begin{aligned} & x_{i_1} \neq \# \\ & \wedge s_1 \leq \max(C_{i_1}) \\ & \wedge B_{i_1}^* \subseteq W_{M(A_{i_1})}^{s_1} \subseteq C_{i_1} \\ & \wedge \left( W_{M(A_{i_1})}^{s_1+1} \cap (X_{i_1}^+ - W_{M(A_{i_1})}^{s_1}) \right) \neq \emptyset. \end{aligned} \quad (72)$$

Thus, by the construction of  $M'$ ,  $s_1 \in S_{i_1}$  and  $s_1 \leq s_{i_1}^{\max}$ . Finally, by Claim 2(b),  $s_1 \leq s_{i_1+1}^{\min}$  (a contradiction).  $\square$  (*Claim 8*)

*Claim 9.* For each  $i \in \mathbb{N}$ , there exists  $j \geq i$  such that  $x_i \notin X_{j+1}$ .

*Proof of Claim.* Follows from Claim 8.  $\square$  (*Claim 9*)

$\square$  (*Theorem 26*)

**Corollary 27 (of Corollary 24 and Theorem 26)** Let  $\mathcal{L}$  be any class of infinite languages. Then,  $\mathcal{L} \in \text{LimTxt}$  iff  $\mathcal{L} \in \text{Tem}_* \text{Txt}$ .

It is currently open whether or not the remaining separation results of Section 4 can be witnessed by classes of infinite languages.

**Problem 28** Let  $k \in \mathbb{N}^+$ ,  $\mathfrak{A} \in \{\text{Bem}_1 \text{Txt}, \dots, \text{Bem}_k \text{Txt}\}$ , and  $\mathfrak{B} \in \{\text{Tem}_k \text{Txt}, \text{Tem}_{k+1} \text{Txt}, \dots, \text{Tem}_* \text{Txt}\}$ . Is there a class of infinite languages  $\mathcal{L} \in \mathfrak{A} - \mathfrak{B}$ ?

## 7 Conclusion

We introduced a new model of language learning called *temporary example memory* (*Tem*) learning. This model is a natural *restriction* of bounded example memory (*Bem*) learning. In particular, it requires that, if a learner commits an example  $x$  to memory in some stage of the learning process, then there is some subsequent stage for which  $x$  *no longer* appears in the learner’s memory. In some sense, this model captures the idea that *memories fade*.

Aside from the open questions mentioned in Sections 5 and 6, the following would constitute an interesting line of research. In some sense, an IIM can memorize examples that it has seen by *coding* them into its hypotheses, i.e., by exploiting redundancy in the hypothesis space. This “memory” is, in principle, unbounded in the number of examples that it can retain, and in how long it can retain them.<sup>5</sup> From a practical point of view, the option to memorize examples in this way probably does not meet the *intuitive* requirements of a model of incremental learning. Thus, it would be interesting to consider the *Bem* and *Tem*-learning models in conjunction with hypothesis spaces *that have no redundancy*, i.e., Friedberg numberings. Note that such numberings have already been considered as hypothesis spaces in the context of *It*-learning [JS07].

<sup>5</sup> Of course, since the IIM must eventually converge to a single hypothesis, the IIM can memorize examples in this way only finitely often.

## References

- [Bak02] B. Bakker. Reinforcement learning with long short-term memory. *Advances in Neural Information Processing Systems*, 14:1475–1482, 2002.
- [BB75] L. Blum and M. Blum. Toward a mathematical theory of inductive inference. *Information and Control*, 28(2):125–155, 1975.
- [Cas74] J. Case. Periodicity in generations of automata. *Mathematical Systems Theory*, 8(1):15–32, 1974.
- [Cas94] J. Case. Infinitary self-reference in learning theory. *Journal of Experimental and Theoretical Artificial Intelligence*, 6(1):3–16, 1994.
- [CCJS07] L. Carlucci, J. Case, S. Jain, and F. Stephan. Results on memory-limited U-shaped learning. *Information and Computation*, 205(10):1551–1573, 2007.
- [CJLZ99] J. Case, S. Jain, S. Lange, and T. Zeugmann. Incremental concept learning for bounded data mining. *Information and Computation*, 152(1):74–110, 1999.
- [Ful90] M. Fulk. Prudence and other conditions on formal language learning. *Information and Computation*, 85(1):1–11, 1990.
- [Gol67] E.M. Gold. Language identification in the limit. *Information and Control*, 10(5):447–474, 1967.
- [HMU01] J.E. Hopcroft, R. Motwani, and J.D. Ullman. *Introduction to automata theory, languages, and computation*. Addison Wesley, second edition, 2001.
- [HS97] S. Hochreiter and J. Schmidhuber. Long short-term memory. *Neural Computation*, 9(8):1735–1780, 1997.
- [JS07] S. Jain and F. Stephan. Learning in Friedberg numberings. In *Proc. of the 18th International Conference on Algorithmic Learning Theory*, volume 4754 of *Lecture Notes in Computer Science*, pages 79–93. Springer, 2007.
- [KS95] E. Kinber and F. Stephan. Language learning from texts: mind changes, limited memory, and monotonicity. *Information and Computation*, 123(2):224–241, 1995.
- [LM92] L.J. Lin and T. Mitchell. Reinforcement learning with hidden states. In *Proc. of the 2nd International Conference on Simulation of Adaptive Behavior*, pages 271–280, 1992.
- [LZ96] S. Lange and T. Zeugmann. Incremental learning from positive data. *Journal of Computer and System Sciences*, 53(1):88–103, 1996.
- [LZZ08] Steffen Lange, Thomas Zeugmann, and Sandra Zilles. Learning indexed families of recursive languages from positive data: A survey. *Theoretical Computer Science*, 397(1-3):194–232, 2008.



- [McC96] R.A. McCallum. Learning to use selective attention and short-term memory in sequential tasks. In *Proc. of the 4th International Conference on Simulation of Adaptive Behavior*, pages 315–324, 1996.
- [Mit97] T.M. Mitchell. *Machine Learning*. McGraw-Hill Higher Education, 1997.
- [OSW86] D. Osherson, M. Stob, and S. Weinstein. *Systems that Learn: An Introduction to Learning Theory for Cognitive and Computer Scientists*. MIT Press, Cambridge, Mass., first edition, 1986.
- [RCN03] J.M. Rabaey, A. Chandrakasan, and B. Nikolic. *Digital Integrated Circuits: A Design Perspective*. Prentice-Hall, Inc., second edition, 2003.
- [Rog67] H. Rogers. *Theory of Recursive Functions and Effective Computability*. McGraw Hill, New York, 1967. Reprinted, MIT Press, 1987.
- [WC80] K. Wexler and P.W. Culicover. *Formal Principles of Language Acquisition*. MIT Press, Cambridge, Mass., 1980.
- [Wie76] R. Wiehagen. Limes-Erkennung rekursiver Funktionen durch spezielle Strategien. *Elektronische Informationsverarbeitung und Kybernetik*, 12(1/2):93–99, 1976.